6 1939 NUL

LACKHAWK



SOCKET, OPEN-END & BOX-TYPE WRENCHES FADER

OF evn out ived for intended.

ackhawks"

awk wrench has

NEW . . . 99DD WRENCH - BENCH & NUGGET ASS'T

Exclusive stamping its owner quality workman of above-average ability.

and Washington.

NEW DOUBLE-DUTY SOCKET V MADE OF HEXITE . . . THE

BLACKHAWK MF

Catalog No. 239

jobbers.

Blackhawk wrenches - long the leaders in their field have constantly grown in demand. This demand justifies Blackhawk's policy of specializing exclusively in highquality wrenches - distributed through recognized

For a double-guarantee -Always buy wrenches from your Blackhawk jobber or iobber salesman!

BLACKHAWK WRENCHES

FOR AUTOMOTIVE, AEROMOTIVE, TRUCK, TRACTOR, CONSTRUCTION, INDUSTRIAL AND SPECIALTY WORK

GUIDE TO WRENCH & SOCKET SIZES FOR BOLTS & NUTS... To order wrenches use sizes in center column

QUICK-REFERENCE INDEX

GENERAL	PAGE
Socket Reference Table	 . 2
Numerical Index	 3-5
Blackhawk Guarantee	 . 3
General Features of Line	 4-5

NUGGET SOCKET WRENCHES Exclusive Features 6-7 Handles 8 Sockets 99 10-12

Sets	
REGULAR SOCKET WRENG	

Torkflash	Tension Wrench	13
Ratchets .		14
Offset Ha		15
	Attachments18-	
x-Type	Wrenches30-	32

CIAL WRENCHES		,
ttion Tools		33
Chevrolet Specials		33
ice Tools	.34	-35
Dim Wanahas		

ID WRENCH	E	S		
Open-Ends		٠.		36-37
-Ends & Sets				38-39

Iguarters Vorld

•			_		s will			SQUARE wrenches will fit:					
-		s.s.	S.A.E.	Ameri	can	Mfrs. Std.	OVER LTS		S.S.	U.S.S. or Am. Std.	-	Mirs. Std.	
	Boits and Nuts	Cap Screws	Bolts and Nuts	Bolts and Nuts	Cap Screws	Bolt Heads	NOMINAL SIZE OVER FLATS	Bolts and Nuts	Cap	Set Screws	Bolts and Nuts	Bolt Heads	
1				0 & 1			A				0 & 1		
-				2 & 3			72				2 & 3		
-	-			4			34	_	_		. 4		
	1/6	3/4		5 & 6			A				5 & 6		
ŀ	4	A		8			34	_		36	8	1/4	
1	- 10	3/4	1/4	12 & ½	4 1/4	3/4	18		À	78	12 & 1/4		
	1/						11	17	17	1/		₩.	
ŀ	3/4	4	· tr		Α.	*	14	34	36	15			
		3/8	3/6	14	*		18		10	T'e	1/4	46	
-	Å	18	78	3/6	de	3/6	±1 3-6	- 14	1/2	34	3%		
ľ		16	18	78	14	73	34		72	71	78	74	
-	3/8						118	36	re.				
ŀ	_	1/2	1/4	78	1/2	14	33		36	44	7.	<i>y</i> ₂	
l	78						3.0	18					
Ŀ		18		1/2	*	3/2	12	-			34	À	
٦	3/2	54	A	Ť.	56		36	1/4	34	36	1%	18	
			~1			Å	- 33	-			- 3		
-	· the		36	5/4	-		12	À			. 34	3/8	
-	18	34	1		14	34	1	14		1			
	3/6		14				14	1/6					
-	-	76	1	14	76	3/4	1%				14	34	
l.	3/3	1	Ž,			-	134	1/4	1	11/4			
١.		11/8		3/6	1	76	1/4		136		76	3/8	
-	3/1	178	1			112	138	76	178				
		11/4		1	13%		11/2			155	1	1	
٠	1	136	11/6			1	1 % 13%	1					
ľ		. 7 H	-78	11/4	11/4		114	-			134	11/8	
			11/			13%	144	11/					
-	11/8		11/4	134			1/3	11/8			134	134	
				- /4		11/4	118				-/-	-/-	
-	134		134	136			2	134				136	
-				198		134	254			-	-	1 4%	
_	13%		11/2	4			21	136					
-00				11/2		11/2	2 1/4 2 1/6				13/4	11/2	
	134					-74	236	11/2					
				134		11/	216					13%	
-	156	-		-4		15%	21/2 2/2	136					
				11/4			25%	0.0			134	144	
-	134					134	214	144					
1	- 74						211	• 74					
	1			176		174	274	157				176	
-	174			2			3	136			2		
1						2	314					2	
	234					254	31/6	234				214	
	434		_			474	31/2	434	_		-	674	

BLACKHAWK WRENCHES

PRICE LIST AND INDEX

	List	User		Units	Weig Ea			() - (l	Jnits In	Weight Each
No.	Price	Net	Page	Cart.	Lb.		Ne.	List Price	User Net	Page	Cart.	Lb. Oz
		SETS				and the same of th	LOO	SE WR	ENCHE	s—co	ntin	ed
8CB	\$ 9.80	\$ 5.88	37	1	2	8	402	.75	.45	39	10	3
8LR	10.60	6.36	37	1	2	10	402B 402C	.75 .75	.45	39 39	10 10	3
OND 2ED	7.15 72.90	43.74	27 29	1	1 59		403	.75	.45	39	10	3
2SD	35.25	21.15	29	1	23	8	404	.80	.46	39	10	41/2
3CB 3PD	19.50 13.50	11.70 8,10	37 27	1	5	6	*404B *404C	.80 .80	.48	39 39	10	
4BD	47.60	28.56	29	1	28	u	405	.BO	.48	39	10	4 1/2 5 1/2
SND	11.50	6.90	27	1	1	8	*406B *406C	.85	.51	39	5	51/2
SQD 7K	24.85	14.91 12.96	27 12	-1	7	14	420	.85 .75	.51 .45	39 39	10	21/
7TD	21.60 19.50	11.70	28	1	8	4	422	.75	.45	39	10	21/2
BCB	6,95	4.17	38	1		8	424 426	.80 1.00	.48 .60	39 39	1 Q 5	
BLR DCB	7.65 2.90	4.59 1.74	38 38	1		9	*1020	.50	.30	38	10	
LR	3.30	1.98	38	i		5	1021	,55	.33	38	10	21/
CB	5.10	3.06	39	1	1	12	*1022 1023	.70	.42	38 38	10	-
LR SCB	5.80 7.35	3.48 4.41	39 38	1	3	2	*1024	.80	.48	38	iö	
LR	8.20	4.92	38	i	3	4	1025	.80	.48	38	10	
CD	44.00	26.40	28	1	23	4	1026 1027	1.00	.60	38 38	10	
OK SCB	49.85 72.00	29.91 43.20	12 28	1	13 38	8	1027 C	1.00	.60	- 38	10	
)B	97.00	58,20	12	i	49	-	*1028	1.20	.72	38	10	65
DR.	116,00	69.60	22	1	90		1028S 1029	1.20	.72 .72	38 38	10	63
DS K	148,00 62.00	88.80 37.20	24 11	1	177		1030	1.20	.72	38	10	
7L	49.40	29.60	11	1	23	8	*1031	1,60	.96	38	5	1:
ODS ORRS	168.00 163.00	97.80	24 23	1	186		*1032 *1033	1.60	.96	38 38	5	1
DS	180.00	108.00	24	i	185		1033A	1,60	.96	38	5	1:
W	158.00	94,80	25	1	113		*1033C 1034	2.20 2.20	1.32	38 38	5	1 25
DD DD	192.00 200.00	115,20 120.00	10 10	1	237		1035	2.20	1.32	38	5	1 :
DODS	201.00	120.60	24	i	191		*1036	3.00	1.80	38	5	1 1:
00W	183.00	109.80	25	1	118		1037 *1721	3.00 .55	1.80	38 38	10	1 1
DOCB DOLR	4.80 5.50	2.88 3.30	39 39	1	1 2	12	*1722	.55	.33	38	io	
12CB	6.20	3.72	39	i	2		*1723	,55	,33	38	10	
12LR	7.00	4.20	39	1	2	4	1723A *1725	.70 .80	.42	38 38	10	
9051 9055	16.35 13.00	9.81 7.80	19 18	1	3	12	1725A	.80	.48	38	10	
9056	3.05	1.83	32	1		8	*1725B	.80	.48	38	10	
9057 9058	8.60 8.60	5.16 5.16	32 32	1	4	112	1726 *1727	1.00	.60	38 38	10	52/
9059	5.45	3.27	32	i	3	12	1728	1.20	.72	38	10	
9074	9.65	5.79	32	1	1	6	*1729	1.20	.72	38	10	
082 083	8.15 6,20	4.89 3.72	19 18	1	1	11	1731 *1731A	1.60	.96 .96	38 38	5	1:
703	3,20	3.72	10			7	1731B	1.60	.96	38	5	1
A	5,20	CASES 3.12	28-29	1	9		1733 *1734 1735	2.20 2.20 3.00	1.32 1.32 1.60	38 38 38	5 5 5	1 1
CA CB	9.75	5.85	11-28	i	19	8	*1736	3.00	1.80	38	5	1 1:
DD East	121.00	72.60	10	1	222		*1737 *2561	3.00 1.80	1.80	38 39	10	1 1
DD West DS East	128.50 65.00	77.10 39.00	10 24	I	145		2581	2.60	1.56	21	5	23
S West	71.25	42.75	24	i	145		2583	3.40	2.04	21	5	1
E I-4	10.35	6.21	29 27	1	13	В	3327 3329	.60 .60	.36 .36	18 18	5	1
•	1,15 1.55	.69	27	i	1	10	3731	,60	.36	18	5	1
2	3.60	2.16	27	1	4	4	*4016 4020	1,90	1.14	33 36-37	5	
S	23.75	14.25	22-23	- 1	56 44		4028	.55 1,35	.33 .81	36-37	5	
	22.50	13.50	28	i	44	10	4033C	2.40	1.44	36-37	5	
V	35,00	21.00	25 12	1	74 36		*4124 *4316	1.00	,60 ,66	33	5	1 1
9508 9515	20.00 4.00	12.00 2.40	12	1	4	8	4721	.60	.36	36-37	. 5	
516	2.00	1.20	12	ī	i	12	4723 4725	.70 .90	.42 .54	36-37 36-37	5	
	LOOSE						4725B 4727	1.00	.66	36-37 36-37 36-37 36-37 36-37	5 5	1 1
22 23	.55 ,55	.33	38 38	5		LKKKKKKKK	4729 4730A	1.35	.81	36-37 36-37 36-37 36-37	5	
2.4	.55	.33	38	5		1/4	4731A	1.75	,99 1,05	36-37	5	
25	.55	.33	38	5		13	4735A 4737	2.85 3.30	1.71	36-37 36-37	5	1
25 26 27	.85 .70	.51 .42	38 38	5 5 5		1/2	5204X	4.00	2.40	34	5	3 3
C8	. ,70	.42	38	5		3/2	5204Z	4.50	2.40 2.70	34	1	3
29	.70	.42	38	5		1/3	5206 5220	9.00	5.40	35	1 5	11
210 111	.70 1.10	.42	36 36	5		73	5222	.65	.39	34 34	5	1
1 1	1.85	1.11	21	5		1	5224	.55	.33	34	5	1
£10	.55	.33	38	5		33	5226	-55	.33	34	5	1
112	.55	.33	38 38	5		1414	5228 5401	.65 1.40	.39	34 35	5	1 1
	,60	.36	38	5		1	5434	2,60	1.56	35	5	2 1
114 116		.36	38	5		1	5440	2.60	1.56 1.80	35 35	5	
114 116 118	.60	100					2444		1 201			
114 116 118 113	.60 .35	.21	14	5		2	5448 12001	3.00 2.30	1.38		5	4
H14 H16 H18 C13	.60	.21 1.20		5 5		4	12001 12002	2.30	1,38	21 21	5	73
H14 H16 H18 F13 OOA OOB 51	.60 .35 2.00	1.20 1.20 2.61 1.38	14 39	***********	1	4	12001	2.30 2.30 1.75 2.30	1,38	21	5	7 t 2 1 3

*To Be Discontinued—Do Not Reorder, †West Coast Prices Apply in Arizona, California, Idaho, Nevada, Oregon, Utah and Washington.

BLACKHAWK GUARANTEE

All Blackhawk wrenches are guaranteed against defects both in workmanship and material. Free replacements or repairs will be made on all wrenches that do not stand up to this guarantee.

Replacements will not be made if inspection shows that handles or sockets have been hammered or used with Stillson wrenches for extra leverage-handles or sockets have been ground thinner or changed in design - sockets have been used on over or undersized nuts-undue leverage has been exerted tools have been worn out from use or employed for purposes other than intended.

BE A LEADER

- Own "Blackhawks"

Each Blackhawk wrench has more than above-gverage utility - stamping its owner a quality workman of above-average ability.

Blackhawk wrenches - long the leaders in their field have constantly grown in demand. This demand justifies Blackhawk's policy of specializing exclusively in highquality wrenches - distributed through recognized jobbers.

For a double-guarantee -Always buy wrenches from your Blackbawk jobber or jobber salesman!

PRICE LIST AND INDEX (Cont'd)

A
0
$\mathcal{L}' \mathcal{L} \mathcal{L}$
Jack-Un
abut on
Blackhawk's exclusive "Lock-
On" feature clicks sockets,
handles and attachments into
one solid tool. A spring-
backed plunger on all han-
dles grips sockets securely.
Combinations are quickly

The "Thumb Release" button, in the 7/16", 1/2", 3/4" and 1" square drive series, makes a release key unnecessary.

socket.

disengaged by simply pressing the convenient "Thumb Release" button on the

"Lock-On" saves time and temper. Sockets can not drop or slip off to cause damage or injury — a safety feature on overhead work or where sockets and attachments would cause extensive damage and loss of time if dropped in mechanism. This patented feature makes work fast, safe and sure.



Simply press the "Thumb Release" button—then pull — to unlock "Lock-On."

PKI	ICE	LI	91	AND	IN	DE	X .	(Cont	rd)
No.	List Price	User Net	Unit in Page Ca	Each	No.	List Price	User Nat	Units In Page Gart.	Weight Each Lb. Oz.
LOC	SE WRE	NCHES	—Conti	nued	LOO	SE WRE	NCHE	S—Contin	ued
15139	2.60	1.56	40	5 4 6	21106	.45	.27	18 5	
15140 15612	.60	.36 .57		2 4	21108 21110	.45 .45	.27	18 5 18 5 18 5	12
15613	1.00	.60	30 .	31/2	21112	,55	.33		× × ×
15614 15620	1.10	.66 1.02		5 1	21114 21116	.55	.33	18 5 18 5	1
15622	1,00	.60	30	5 5	24992	4.00	2.40	14 5	1 5
15623 15624	1.10 1.30	.66 .78		5 6	24993 24994	2.00 1.50	1,20	20 5	1
15625	1.50	.90		11	24995	1.70	1.02	15 5 21 5	2
15626	1.70	1.02	30	5 15	24996	1.05	.63	17 5	154
15627 15629	2.00 3,20	1.20		5 1 4	24997 24998	.40 1.20	.24	15 5 17 5	3½ 3 3
- 15630	4.15	2,49	30	5 2 1	24999	2,00	1,20	15 5	3.
15632 15633	1.00	.60 .66	30	61/2	30008 30010	.70 .70	.42	18 5 18 5	1 1
15634	1.30	.78	30	5 8	30012	.70	.42	18 5	1
15635	1.50	.90	30	5 11	30014 30016	.70	.42	18 5	1
15636 15637	1,70 2.00	1,02 1.20	30 30	5 1 3	30018	.70 .70	.42	18 5 18 5	134
15638	3.85	2.31	30	5 1 14	30020	.70	.42	18 5	13% 2 2 2 2
15639 15647	4.85 1.15	2.91		5 1 14	30022 30024	,80 .80	.48	18 5 18 5	2
15648	1.25	.75	30	5 21/4	30108	.80	.48	18 5	1
15649 15650	1.45 1.60	.87		31/4	30110 30112	.80	.48	16 5 18 5	112
15651	1.90	1.14	30	5 8	30114	.90	.54	18 5	15%
15652 15659	2.30 1.70	1.38		5 8	30116 30212	.90 2.60	.54 1.56	18 5 20 5	134 134 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
15660	2.25	1.35		5 5½ 5 5½ 12	30214	2.60	1.56	20 5	2
*15680 *15681	2.70	1.62	31	ĺ ĺĝ	30216	2.60 2.60	1,56	20 5	2
*15682	2.70 3.10	1.62 1.86		1 12	3021B 30220	2.60	1,56 1,56	20 5 20 5	2
*15683	3.10	1.86	31	14	30222	2.75	1.65	20 5	21/8
15684 15685	3.35 3.75	2.01	31 31	2 2	30224 30314	2.75	1.63	20 5 18 5	3
15686	4.85	2.91	31	2 2	30316	.90	.54	18 5	2
15687	4.85 5.85	2.91 3.51	31	2 2	30318 30320	1.00	.60	18 5	2
15688 15689	5.85	3.51	31	2 3	30322	1.15	.69	16 5 18 5	4
15690	6.10	3.66		2 4	30324	1.25	.75	18 5	4
15691 15692	6.35 6.50	3.81 3.90	31 31	3 3 2	34964 34981	.80 6.25	.48 3.75	9-20 5 .14 5	2
15693	8.00	4.80	31	1 3 2	34982	2.00	1.20	16 5	1 2
15694 15695	8.00 9.50	4.80 5.70		3 4	34983 34984	2.15 1.60	1,29	17 5 17 5	13
15696	10.00	6.00	31	3 7	34985	.50	.30	15 5	4
15697 15698	11.25 14.60	6.75 8.76		4 4	34986 34987	2,85 1.50	1.71	15 5 17 5	8
15699	15.90	9.54		4 12	34988	1.40	.84	17 5	;
15700	16.70	10.02		5 4	34990	.30	.18	21 5	2
15701 *15710	17.50 2.95	10.50		5 8	34991 34992	.85 1.25	.51	20 5 33 5	1 2
*15711	2.95	1.77	31	1 12	34993	2.40	1.44	20 5	3
*15712 *15713	3,50 3.50	2.10 2.10		1 14	34994 34995	1.00	.60	20 5 20 5	8 4 3 2 1 2 3 3 2 2 1/2 3 3 2
15714	3.75	2,25		14	34996	1.10	.66	20 5	3
15715 15716	4.20 5.85	2.52 3.51	31		34997 34999	1.70 4.00	1.02 2.40	17 5 14 5	6
15717	5.85	3.51		2 2	35110	.85	.51	9 5	3/2
15718	6.25 6.25	3.75	31	2 4	35112 35114	.85	.51	9 5	74
15719 15720	7.25	3.75 4.35	31 31	2 3 2 4	35114	.85 .85	.51		6 7 1/4 1/4
15721	7.60	4.56	31	3 1	35116	.85	.51	9 5	1
15722 15723	8.00 9.20	4.80 5.52		3 2	35119 35120	.85 .85	.51 .51 .51	9 5 9 5 9 5 9 5	1 1 1 1 1 1 2 2 2 2 2 3 3 3 3 3 3 5 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
15724	9.20	5.52 5.52	31	3 2	35121	.85	.51		2
15725 15726	10.50 11,25	6.30 6.75	31	3 8	35122 35124	.85 1.05	.51	999999999999999999999999999999999999999	2
15727	12 50	7.50	31	4 2	35126	1.05	.63	9 5	3
15728 15729	15.90	9.54 10.26	31	1 4 13	35128 35130	1.05	.63	9 5	3
15730	17.10 18.00	10.80	31	5 2	35132	1.35	.81 .81 .99	9 5 9 5 9 5 9 5	3
15731	18.75	11.25	31	5 8	35134 35136	1.65	.99	9 5	5
* 15741 15742	2.50 2.65	1.50		1 1 15	35140	1.85 2.10	1.20	9 5	6
15743	3.75	2.25	31	1 2 8	35212	.90	.54 .54 .54	9 5	1
15744 15745	5,40 8.25	3.24 4.95		3 12	35214 35216	.90	.54	9 5	132
15798	.80 4.55	.48	33 5-	25 12	35218	.90	.54	9 5	2
15829 15830	4.55 6.00	2.73 3.60	30	23/4	35220 35224	1.00	.60	9 5	21/2
15831	9.75	5.85	30	634	35314	1.35	.61 .81 .81	9 5 9 5 9 5	21/3
15832	11.50	6.90	30	8	35316 35318	1,35	.81 .81	9 5	21/2
15833 21006	18,08 .45	10.85	30 18	1111/4	35320	1,60	.96	9 5	3
21007	.45	.27	-18 .	5 1/3	35322	1.60	.96	9 5 9 5 9 5 9 5	31/2
21008	.45	.27	18	5 1/4	35324 35326	1.60 1.60	.96 .96	9 5	5
21009 21010	.45 .45	.27		5 1/4	35328	1.60	- 96	9 5	5
21011	.45	.27	18	5 1/4	35330 35332	1.75	1.05 1.05 1.26	9 5 9 5 9 5 9 5	53%
21012	.45	.27	18	5 3/4	35336	2.10	1.26	9 5	5 5 5 5 6 1 1 1
21014	.45	.27	18	5 3/9	35414	2.95	1.77	9 5	13/2
ATT NA	Discontinu	and D-	Mas Das	ada a					

PRICE LIST AND INDEX (Cont'd)

Light											-	-	711	- 4	
35418		No.		Uşer Net		in	Ε	ach	No.		User Net		in	Eacl	h
34418	ľ	LO	OSE WRE	NCHE	5C	ntin	ued		LO	OSE WR	ENCHE	S—C	ntin	ued	
354-22			2.95	1.77	9	5		11/4	49999						
354-22				1.77	9	5		11/2	60028	1.25	.75	19	5	•	В
35424 3.65 1.63 9.5 5 24 60032 1.25 7.75 1.0 5 8 8 9.5 1.0 9.5 9.5 1.0 9.5								2			.75		5		8
39965		35424	3.05	1.83	9	5		21/2							
1999 1.05						5		2	60034	1.55	,93	19	5		8
1.65			1.05		9	5		2			.93		5		9
39977 1.85 1.11 9 5 2 2 66004 1.75 1.05 19 5 12 3 1975 1.05 19 5 1.15 1995 1.15 1997 2.00 1.20 8 5 13 6004 1.75 1.05 19 5 1.15 1997 2.00 1.20 8 5 13 6004 1.75 1.00 1.00 1.14 19 5 1.15 1997 2.00 1.20 8 5 13 6004 1.25 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20		39971	1.65	.99	9	5		2			1.05				
19976 1.00			1.85		9	5		2	60042	1.75	1.05	19	5		
99977							6				1.05			1	15
39977		39976	2.00	1.20	8	5	0						5		15
1998 1.00		39977				5		13	60050	2.20	1.32	19	5	1	
1.92								21/2							
1.80		189981	3.20	1.92	8	5		15	60056						
39984 3.20 1.92 8 5 6 60064 3.73 3.22 4.99 5 1 19 5 1 19 39986 6.00 3.36 8 5 6 60132 2.20 1.32 19 5 1 19 39989 39986 6.00 3.36 8 5 6 60132 2.20 1.32 19 5 1 19 39999 2.60 1.00 1.00 8 5 7 7 60134 2.30 1.38 19 5 1 2 19 5 1 19 39999 2.60 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1						5		3	60058	3.00	1.80	19	5	1	В
39985 4.00 2.40 8 5 1 3 60128 2.20 6.22 1.22 19 5 7 8 8 9 9 9 9 2.00 1.20 8 5 7 7 60134 2.30 1.38 19 5 1 14 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9				1,92		5									
39996		39985	4.00	2.40	8		1	3	60128				5	' '	
39997 8.00 4.80 8 5 13 3 60136 2.30 1.38 10 3 1 2 3 1 4 4 1 1 1 2 1 1 4 4 1 1 1 2 1 1 4 4 1 1 1 2 1 1 1 4 4 1 1 1 1						5			60132	2.20	1.32	19	5		
19999 2.60		39997				5								_	7
40114		39999	2.60	1.56	8	5	1	1	60140	2.85	1.71	19			
40116						5			60146	4.00	2.40	19	5	1	7
40118		40116	.80	.48	18	5		2						1	2
101100						5		2	59989	1.00	.60	14	5	•	
40121 80 48 18 5 2 69992 1.25 7.5 20 5 69993 4.01 4.01 4.01 4.01 4.01 4.01 4.01 4.01						5		2					5	1	6
10122		40121	.80	.48	18	5		2	69992		-75		5		
40125						5		2		6.25	3.75	20	5	1	5
40 128		40125	.95	.57		5		3						2	
10 12 12 17 13 15		40126	.95	.57	18	5		4	69996	1,50			5		
40131 1.20 .72 18 5 5 6 79999 10.35 6.21 14 5 3 3 6 40134 1.50 .90 18 5 7 79999 2.00 1.20 20 5 1 8 40140 1.70 1.02 18 5 8 80034 1.90 11.44 19 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			1.20	.57		5		5		3.75	2.25	15	5	3	5
40134 1.50 .90 18 5 6 79998 2.50 1.50 20 5 1 18 60134 1.50 .90 18 5 7 79998 2.50 1.50 20 5 1 18 60136 1.60 .96 18 5 8 8 80034 1.90 1.14 19 1 1 1 4 60199 .85 .51 33 5 2 80040 2.00 1.12 19 1 1 1 6 6 8 60142 2.00 1.20 19 1 1 1 6 6 8 60142 2.00 1.20 19 1 1 1 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		40131	1.20	.72											
10136		40132	1.20	.72	18	5		6	79998	2.00	1.20	20	5		
401140 1.70 1.02 18 5 8 80036 1.90 1.14 19 1 1 4 40199 1.75 .45 18 5 2 80040 2.00 1.20 19 1 1 8 40210 .75 .45 18 5 2 80044 2.00 1.20 19 1 1 8 40214 .75 .45 18 5 2 80044 2.00 1.20 19 1 1 8 40214 .75 .45 18 5 2 80044 2.00 1.20 19 1 1 8 40214 .75 .45 18 5 3 80048 2.60 1.56 19 1 1 12 40218 .75 .45 18 5 3 80048 2.60 1.56 19 1 1 12 40219 .75 .45 18 5 3 80048 2.60 1.56 19 1 1 12 40219 .75 .45 18 5 5 8 80048 2.60 1.56 19 1 1 12 40219 .75 .45 18 5 5 8 80050 2.60 1.56 19 1 1 12 40220 .75 .45 18 5 5 8 80050 2.60 1.56 19 1 1 12 40220 .75 .45 18 5 5 8 80050 2.60 1.56 19 1 1 12 40220 .75 .45 18 5 5 8 80050 2.60 1.56 19 1 1 12 40220 .75 .45 18 5 5 8 80050 2.60 1.56 19 1 1 12 40220 .75 .45 18 5 5 8 80054 3.25 1.95 19 1 2 4 40222 .80 .48 18 5 6 80056 3.50 2.10 19 1 2 8 40222 .80 .48 18 5 6 80058 3.75 2.25 19 1 2 8 40225 .90 .54 18 5 7 80060 4.25 2.55 19 1 2 8 8 80062 1.05 .63 18 5 7 80062 4.50 2.70 19 1 3 6 40228 1.15 .69 18 5 7 80062 4.75 2.85 19 1 3 2 4 40224 1.60 .96 18 5 9 80070 6.25 3.75 19 1 4 4 80234 1.60 .96 18 5 9 80070 6.25 3.75 19 1 4 4 80234 1.60 .96 18 5 9 80070 6.25 3.75 19 1 4 4 80234 1.60 .96 18 5 9 80070 6.25 3.75 19 1 4 8 80066 1.45 87 19 5 4 80070 6.25 3.75 19 1 4 8 80074 7.00 4.20 19 1 4 8 8 80080 1.45 87 19 5 5 80080 9.25 5.55 19 1 7 8 8 80082 1.60 .96 19 5 7 80084 10.75 6.45 19 1 6 6 8 80032 1.60 .96 19 5 7 80084 10.75 6.45 19 1 6 6 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 6 6 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 6 6 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 6 6 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 7 7 8 80092 1.70 1.80 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 7 7 8 80092 1.70 1.80 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 7 7 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 7 7 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 7 7 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 7 7 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 7 7 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 7 7 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 10 7 8 80092 1.75 1.05 19 5 7 80084 10.75 6.45 19 1 1 1 1								7		2.50	1.50	20	5	1	8
40199		40140	1.70	1.02	18	5		8							
40212			.85	.51	33	5			80040	2.00	1.20	19	1		6
40214			.75					2		2.00	1.20	19		1	8
40216		40214	.75	.45	18	5									
10210			.75	.45	18	5		3	80048	2.60	1.56	19	1	1	
40220						5					1.56			1	
40222		40220	.75	.45	18	5		5							
1022				.48				6	B0056	3.50	2.10	19	1	2	6
40226		40225	.90	.54											8
40228		40226	1.05	.63	18	5		7	80062					3	6
40232						5		7	80064	4.75	2.85	19	1	3	4
40234		40232	1.40	-84		5								4	2
40230 1.75 1.05 18 5 10 80072 6.50 3.90 19 1 4 8 40210 1.85 1.11 18 5 11 80074 7.00 4.20 19 1 4 6 40318 1.45 .87 19 5 5 80076 7.75 4.65 19 1 4 6 40322 1.60 .96 19 5 6 80082 10.00 6.00 19 1 6 8 40324 1.60 .96 19 5 6 80082 10.00 6.00 19 1 6 6 40322 1.60 .96 19 5 7 80084 10.75 6.00 19 1 6 6 403226 1.60 .96 19 5 7 80088 12.25 7.35 19 1 7 10 4033			1.60	.96	18	5		9	80070	6.25	3.75	19	1	4	
40316 1.45 .87 19 5 4 80076 7.75 4.65 19 1 4 6 40318 1.45 .87 19 5 5 80080 9.25 5.55 19 1 6 8 40320 1.60 .96 19 5 5 6 80080 9.25 5.55 19 1 6 8 40322 1.60 .96 19 5 7 80084 10.75 6.45 19 1 6 12 40324 1.60 .96 19 5 7 80084 10.75 6.45 19 1 6 12 40324 1.60 .96 19 5 7 80084 10.75 6.45 19 1 6 12 40328 1.60 .96 19 5 7 80084 10.75 6.45 19 1 7 10 40328 1.60 .96 19 5 7 80084 10.75 6.45 19 1 7 10 40328 1.60 .96 19 5 7 80088 12.25 7.35 19 1 7 18 40330 1.75 1.05 19 5 7 80088 12.25 7.35 19 1 7 18 40332 1.75 1.05 19 5 8 80090 13.00 7.80 19 1 7 12 40336 1.95 11.7 19 5 9 80094 14.50 8.70 19 1 9 1 49974 .80 .48 9-20 5 3 80096 15.25 9.15 19 1 7 7 7 40974 .80 .48 9-20 5 3 80096 15.25 9.15 19 1 9 10 49975 16.00 9.60 13 1 6 8 80096 15.25 9.15 19 1 9 10 49978 2.60 1.56 20 5 6 80112 30.00 18.00 19 1 10 7 49978 2.60 1.56 20 5 6 80112 30.00 18.00 19 1 10 7 49978 2.60 1.56 20 5 6 80112 30.00 18.00 19 1 10 7 49980 3.60 2.16 20 10 5 81036 2.30 1.38 19 1 1 12 49980 3.60 2.16 20 10 5 81036 2.30 1.38 19 1 1 12 49980 3.60 2.16 20 10 5 81036 2.30 1.38 19 1 1 12 49980 3.60 2.16 5 5 1 2 81036 2.75 1.65 19 1 2 49984 3.25 1.95 15 7 1 81040 3.30 1.98 19 1 2 49988 4.30 2.58 15 5 1 2 81050 6.15 3.69 19 1 3 6 49986 .60 .36 15 5 1 12 81040 3.30 1.98 19 1 2 49988 4.30 2.58 15 5 1 2 81050 6.15 3.69 19 1 3 6 49988 4.30 2.58 15 5 1 2 81050 6.15 3.69 19 1 3 6 49989 1.20 .72 17 5 1 89999 2.50 1.50 20 1 1.6 5 2 4 89999 3.00 3.00 16 5 2 4 89999 3.00 3.00 16 5 2 4 89999 3.00 3.00 16 5 2 4 89999 3.00 1.20 1.20 17 5 1 89999 3.00 3.00 16 5 2 4 89999 3.00 3.00 16 5 2 4 89999 3.00 3.00 16 5 2 4 89999 3.00 1.00 1.50 1.56 16 5 2 4 89999 3.00 1.00 1.00 1.00 16 5 1 1 1 89999 3.00 3.00 16 5 2 4 89999 3.00 1.00 1.00 16 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						5				6.50	3.90			4	
40318 1.45 .87 19 5 5 80078 8.50 3.10 19 1 6 8 40322 1.60 .96 19 5 5 6 80082 10.00 6.00 19 1 6 12 40324 1.60 .96 19 5 7 80084 10.75 6.45 19 1 6 6 40328 1.60 .96 19 5 7 80084 10.75 6.45 19 1 6 6 40332 1.75 1.05 19 5 7 80088 12.25 7.35 19 1 7 8 40332 1.75 1.05 19 5 7 80088 12.25 7.35 19 1 7 8 40332 1.75 1.05 19 5 8 80092 13.75 8.25 19 1 7 12 <		40316	1,45	.87	19	5								1	6
40322								5	80078	8.50	5.10	19	1	6	8
40324 1.60 .96 19 5 7 80084 10.75 6.45 19 1 6 6 6 40328 1.60 .96 19 5 7 80088 12.55 7.35 19 1 7 10 40332 1.75 1.05 19 5 7 80088 12.25 7.35 19 1 7 10 7 10 40333 1.75 1.05 19 5 8 80092 13.75 8.25 19 1 7 7 40333 1.75 1.05 19 5 8 80092 13.75 8.25 19 1 7 7 7 40333 1.75 1.05 19 5 8 80094 14.50 8.70 19 1 9 10 49975 16.00 9.60 13 1 6 8 80098 16.00 9.60 19 1 10 7 49977 3.00 1.80 14 5 1 8 80100 16.75 10.05 19 1 10 7 49978 2.60 1.56 20 5 6 80098 16.00 9.60 19 1 10 7 49978 2.60 1.56 20 5 6 80112 30.00 18.00 19 1 10 49978 2.60 1.56 20 5 6 80112 30.00 18.00 19 1 13 13 49980 3.60 2.16 20 10 5 81034 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 81040 3.30 1.98 19 1 2 49983 2.15 1.29 17 5 14 81044 4.40 2.64 19 1 2 49984 3.25 1.95 1.50 17 5 1 2 81046 5.75 3.45 19 1 2 849985 3.60 2.16 15 5 1 12 81046 5.75 3.45 19 1 2 849986 4.30 2.58 15 5 2 81058 6.15 3.69 19 1 3 8 49985 1.20 3.60 2.58 15 5 2 81058 6.15 3.69 19 1 2 849980 1.20 3.60 2.58 15 5 2 81058 6.15 3.69 19 1 2 849980 1.20 3.60 2.58 15 5 2 81058 6.50 3.90 17 1 6 12 849990 2.00 1.20 17 5 1 89999 2.50 1.50 17 5 1 2 81058 7.00 4.20 19 1 4 8 84999 2.60 1.56 16 5 2 4 89996 5.50 3.90 17 1 6 12 849994 2.60 1.56 16 5 2 4 89996 5.50 3.90 17 1 6 12 849994 2.60 1.56 16 5 2 4 89996 5.50 3.90 17 1 6 18 849995 5.50 3.0 14 5 2 89998 3.20 1.62 17 1 6 8 849995 5.50 3.0 14 5 2 89998 3.20 1.00 1.50 14 5 2 89999 3.20 1.00 1.50 14 5 2 89999 3.20 1.00 1.50 14 5 2 89999 3.20 1.00 1.50 14 5 2 89999 3.20 1.00 1.50 14 5 2 89999 3.20 1.00 1.50 14 5 2 89999 3.20 1.00 1.50 16 5 2 4 89999 3.20 1.00 1.50 17 5 1 89999 3.20 1.50 17 1 6 12 89999 3.50 3.00 14 5 5 2 89999 3.20 1.00 1.50 17 1 1 8 849999 3.50 3.00 14 5 5 2 89999 3.20 1.00 1.50 17 1 1 8 849999 3.50 3.00 14 5 5 2 89999 3.20 1.00 1.50 17 1 1 8 849999 3.50 3.00 14 5 5 2 89999 3.20 1.00 1.50 17 1 1 8 849999 3.50 3.00 3.00 16 5 2 4 89999 3.20 1.00 1.50 17 1 1 8 89999 3.20 1.00 1.50 17 1 1 8 849999 3.50 3.00 3.00 16 5 2 4 89999 3.20 1.00 1.50 17 1 1 8 849999 3.50 3.00 3.00 16 5 2 4 89999 3.20 1.00 1.50 17 1			1.60	.96		5				9.25	5.55				4
40326 1.60 .96 19 5 7 80088 12.25 7.35 19 1 7 10 40328 1.60 .96 19 5 7 80088 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 7 80038 12.25 7.35 19 1 9 10 80094 14.50 8.70 19 1 9 10 80094 14.50 8.70 19 1 9 10 80096 15.25 9.15 19 1 9 10 80096 15.25 9.15 19 1 9 10 7 800978 2.50 1.55 20 5 6 80112 30.00 18.00 19 1 10 7 80098 12.25 1.55 10 10 10 10 10 10 10 10 10 10 10 10 10		40324	1.60	.96	19	5		7	80084			19			
49977 3.00 1.80 14 5 1 8 80100 16.75 10.05 19 1 10 49979 1.00 .60 20 5 3 81034 2.30 1.38 19 1 1 12 49980 3.60 2.16 20 10 5 81034 2.30 1.38 19 1 1 12 49981 2.60 1.56 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 2 1 49982 3.60 2.16						5		6	80086	11.50	6.90	19	1	7	10
49977 3.00 1.80 14 5 1 8 80100 16.75 10.05 19 1 10 49979 1.00 .60 20 5 3 81034 2.30 1.38 19 1 1 12 49980 3.60 2.16 20 10 5 81034 2.30 1.38 19 1 1 12 49981 2.60 1.56 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 2 1 49982 3.60 2.16		40330	1.75	1.05	19	5		7		12.25	7.35 7.80	19	I	7	
49977 3.00 1.80 14 5 1 8 80100 16.75 10.05 19 1 10 49979 1.00 .60 20 5 3 81034 2.30 1.38 19 1 1 12 49980 3.60 2.16 20 10 5 81034 2.30 1.38 19 1 1 12 49981 2.60 1.56 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 2 1 49982 3.60 2.16		40332	1.75	1.05	19	5		8	80092	13.75	8.25	19	1	7	
49977 3.00 1.80 14 5 1 8 80100 16.75 10.05 19 1 10 49979 1.00 .60 20 5 3 81034 2.30 1.38 19 1 1 12 49980 3.60 2.16 20 10 5 81034 2.30 1.38 19 1 1 12 49981 2.60 1.56 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 2 1 49982 3.60 2.16		49974	1.95		9-20	5		9		14.50				9	
49977 3.00 1.80 14 5 1 8 80100 16.75 10.05 19 1 10 49979 1.00 .60 20 5 3 81034 2.30 1.38 19 1 1 12 49980 3.60 2.16 20 10 5 81034 2.30 1.38 19 1 1 12 49981 2.60 1.56 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 1 10 49982 1.90 1.14 15 5 1 2 81036 2.30 1.38 19 1 2 1 49982 3.60 2.16		49975	16.00	9.60	13	1	6	8		16.00		19			7
49979 1.00 .60 20 5 3 81034 2.30 1.38 19 1 1 12 49980 3.60 2.16 20 10 5 81036 2.30 1.38 19 1 1 10 49981 2.60 1.56 15 5 1 2 81038 2.75 1.65 19 1 2 49982 1.90 1.14 15 5 1 81040 3.30 1.98 19 1 2 49983 2.15 1.29 17 5 1 81044 4.40 2.64 19 1 2 49985 3.60 2.16 15 5 1 2 81046 5.75 3.45 19 1 2 8 49986 .50 .36 15 5 1 2 81050 6.15 3.69 19 1 3 8 49987 </td <th></th> <td></td> <td>3.00</td> <td>1.80</td> <td>14</td> <td>5</td> <td></td> <td>8</td> <td>80100</td> <td>16.75</td> <td>10.05</td> <td>19</td> <td>1</td> <td>10</td> <td></td>			3.00	1.80	14	5		8	80100	16.75	10.05	19	1	10	
49980 3.60 2.16 20 10 5 81036 2.30 1.38 19 1 1 10 49981 2.60 1.56 15 5 1 2 81036 2.75 1.65 19 1 2 49982 1.90 1.14 15 5 1 81040 3.30 1.98 19 1 2 49983 2.15 1.29 17 5 14 81044 4.40 2.64 19 1 2 49985 3.60 2.16 15 5 1 12 81056 6.15 3.69 19 1 2 8 49986 .60 .36 15 5 12 81050 6.15 3.69 19 1 3 8 49988 4.30 2.58 15 5 2 81058 6.90 4.14 19 1 4 8 49989		49979	1.00	.60		5		6		30.00			1		
*49981 2.60 1.56 15 5 1 2 81038 2.75 1.65 19 1 2 49983 2.15 1.29 1.7 5 1 81040 3.30 1.98 19 1 2 49984 3.25 1.95 15 7 1 81044 4.40 2.64 19 1 2 49985 3.60 2.16 15 5 1 2 81046 5.75 3.45 19 1 2 81050 6.15 3.69 19 1 2 81050 6.15 3.69 19 1 3 6 49986 .60 .36 15 5 12 81050 6.15 3.69 19 1 3 6 49986 .60 .36 15 5 12 81052 6.90 4.14 19 1 4 8 49988 4.30 2.58 15 5 2 81052 6.90 4.14 <th></th> <td>49980</td> <td>3.60</td> <td>2.16</td> <td>20</td> <td>10</td> <td></td> <td>5</td> <td>81036</td> <td></td> <td>1.38</td> <td></td> <td>i</td> <td></td> <td></td>		49980	3.60	2.16	20	10		5	81036		1.38		i		
49985 2.15 1.29 17 5 14 81044 4.40 2.64 19 1 2 49985 3.60 2.16 15 5 1 12 81050 6.15 3.69 19 1 3 8 49986 2.50 1.50 17 5 1 2 81050 6.15 3.69 19 1 3 8 49987 2.50 1.50 17 5 1 2 81050 6.90 4.14 19 1 4 8 49988 4.30 2.58 15 5 2 81058 7.00 4.20 19 1 4 8 49989 1.20 .72 17 5 4 89992 2.50 1.50 20 1 4 8 49990 2.00 1.20 17 5 1 89993 2.40 1.44 20 1 12 49991 1.25 .75 20 5 8 89994 1.20 .72	ľ			1.56		5		2	81038	2.75	1.65	19	1	2	
49985 3.60 2.16 15 5 1 2 81050 6.15 3.69 19 1 3 6 49986 .60 .36 15 5 12 81050 6.15 3.69 19 1 3 6 49987 2.50 1.50 17 5 1 2 81052 6.90 4.14 19 1 4 8 49988 4.30 2.58 15 5 2 81058 7.00 4.20 19 1 4 8 49988 1.20 .72 17 5 4 89992 2.50 1.50 20 1 1 6 499991 1.20 .72 17 5 1 89993 2.40 1.44 20 1 1 2 499991 1.25 .75 20 5 8 89994 1.20 .72 14 1 8 49993 2.40 1.44 20 1 12 <t< td=""><th></th><td>49983</td><td>2.15</td><td></td><td>17</td><td>5</td><td>1</td><td>14</td><td>81040</td><td>3.30</td><td>1.98</td><td>19</td><td></td><td></td><td></td></t<>		49983	2.15		17	5	1	14	81040	3.30	1.98	19			
49985 .60 .36 15 5 1 12 81050 6.15 3.69 19 1 3 6 49987 2.50 1.50 17 5 1 2 81052 6.90 4.14 19 1 4 8 49988 4.30 2.58 15 5 2 81058 7.00 4.20 19 1 4 8 49989 1.20 .72 17 5 4 89992 2.50 1.50 20 1 1 4 12 49990 2.00 1.20 17 5 1 89992 2.50 1.50 20 1 16 49991 1.25 .75 20 5 8 89993 2.40 1.44 20 1 12 49992 2.60 1.56 16 5 1 14 89995 6.50 3.90 17 1 6 12 4 </td <th></th> <td>49984</td> <td>3.25</td> <td>1.95</td> <td>15</td> <td>7</td> <td></td> <td></td> <td>B1046</td> <td></td> <td>3.45</td> <td></td> <td></td> <td>2</td> <td>8</td>		49984	3.25	1.95	15	7			B1046		3.45			2	8
49987 2.50 1.50 17 5 1 2 81058 7.00 4.20 19 1 4 8 49988 4.30 2.58 15 5 2 81058 7.00 4.20 19 1 4 8 49989 1.20 .72 17 5 4 89992 2.50 1.50 20 1 1 6 49990 2.00 1.20 17 5 1 89993 2.40 1.44 20 1 12 49991 1.25 .75 20 5 8 89994 1.20 .72 14 1 8 49992 2.60 1.56 16 5 1 14 89995 6.50 3.90 17 1 6 12 49993 2.00 3.00 16 5 2 4 89995 6.50 3.30 17 1 6 12					15	5	1		81050	6.15	3.69	19		3	6
49988 4.30 2.58 15 5 2 81064 8.30 4.98 19 1 4 12 49989 1.20 .72 17 5 4 89992 2.50 1.50 20 1 1 6 49990 2.00 1.25 .75 20 5 8 89993 2.40 1.44 20 1 12 49991 1.25 .75 20 5 8 89994 1.20 .72 14 1 8 49992 2.60 1.56 16 5 1 14 89995 6.50 3.90 17 1 6 12 49994 2.60 1.56 16 5 2 4 89996 5.50 3.30 17 1 6 12 49994 2.60 1.56 16 5 2 4 89997 2.70 1.62 17 1 6 8 49995 .50 .30 14 5 2 39998 3.20		49987	2,50	1.50	17	5	1			6.90	4.14				5
49989 1.20 .72 17 5 4 89992 2.50 1.50 20 1 6 49990 2.00 1.20 17 5 1 89993 2.40 1.44 20 1 12 49991 1.25 .75 20 3 8 89994 1.20 .72 14 1 8 49992 2.60 1.56 16 5 2 4 89995 6.50 3.90 17 1 6 12 49994 2.60 1.56 16 5 2 4 89996 5.50 3.30 17 1 6 12 49994 2.60 1.56 16 5 2 4 89997 2.70 1.62 17 1 6 B 49995 5.50 3.30 14 5 2 89998 3.20 1.92 17 1 1 8 49996 </td <th></th> <td>49988</td> <td>4.30</td> <td>2.58</td> <td>15</td> <td>5</td> <td></td> <td></td> <td>81064</td> <td></td> <td>4.98</td> <td>19</td> <td>1</td> <td>4 1</td> <td>12</td>		49988	4.30	2.58	15	5			81064		4.98	19	1	4 1	12
49991 1.25 .75 20 5 8 89994 1.20 .72 14 1 8 49992 2.60 1.56 16 5 1 14 89995 6.50 3.90 17 1 6 12 49993 5.00 3.00 16 5 2 4 89996 5.50 3.30 17 1 3 8 49994 2.60 1.56 16 5 2 4 89996 5.50 3.30 17 1 3 8 49995 .50 .30 14 5 2 2 89997 2.70 1.62 17 1 6 8 49996 6.00 3.60 14 5 1 2 89999 16.00 9.60 14 1 1 8 49997 7.50 4.50 14 5 1 2 89999 16.00 9.60 14			1.20	1.72	17	5		4	89992	2.50	1.50	20		1	6
49992 2.60 1.56 16 5 1 14 89995 6.50 3.90 17 1 6 12 49993 5.00 3.00 16 5 2 4 89996 5.50 3.30 17 1 3 8 49994 2.60 1.56 16 5 2 4 89997 2.70 1.62 17 1 6 8 49995 .50 .30 14 5 2 89998 3.20 1.92 17 1 1 8 49996 6.00 3.60 14 5 1 2 89999 3.20 1.92 17 1 1 8 49997 7.50 4.50 14 5 1 2 89999 16.00 9.60 14 1 6 14		49991		.75	20	5	1	8			1.44				12
49994 2.60 1.56 16 5 2 4 89996 5.50 3.30 17 1 3 8 49994 2.60 1.56 16 5 2 4 89997 2.70 1.62 17 1 6 8 49995 .50 .30 14 5 2 89998 3.20 1.92 17 1 1 8 49996 6.00 3.60 14 5 1 2 89999 16.00 9.60 14 1 6 14 49997 7.50 4.50 14 5 1 6 16.00 9.60 14 1 6 14		49992	2.60	1.56	16	5		14	89995	6.50	3.90	17		6 1	12
49995 .50 .30 14 5 2 89998 3.20 1.92 17 1 6 8 49996 6.00 3.60 14 5 1 2 89998 3.20 1.92 17 1 1 8 49997 7.50 4.50 14 5 1 6		49993	5.00	3.00		5		4	89996	5.50	3.30	17	1	3	8
49996 6.00 3.60 14 5 1 2 89999 16.00 9.60 14 1 6 14 49997 7.50 4.50 14 5 1 6		49995	.50	.30		5	2	2		2.70				6	8
7.30 4.30 14 5 1 6		49996	6.00	3,60	14	5		2						6 1	14
	-	19997	7.50	4.50	14	5	1	6							



Gripline

Only Blackhawk features modern wrench handle design! It's called "Gripline" and replaces old cross-knurl patterns.

All grips have attractive streamline grooves running lengthwise. These "Griplines" provide a firm grasp on the wrench but do not cut into the hand. Gripline wrenches are not dirt and grease holders—they wipe clean and dry, keeping their original luster for years.

IMPORTANT!

Blackhawk's "Selected Alloy Steels" Assure Longer Life!

Blackhawk uses a wide variety of steels—selecting the alloy steel best serving the purpose of each wrench.

These "Selected Alloy Steels" in clude Chrome Vanadium, Nickel, Molybdenum and special steels selected for carbon content, annealing, grain size, etc. Physical properties (including shock resistance, ductility, uniform hardness) are at highest practical standards.

No one material, except Hexite, has all the above qualities. Hexite, strongest wrench steel known, is used exclusively in Blackhawk Nugget Socket Wrenches and New Blackhawk-Armstrong Automotive Open-Ends.

Blackhawk also selects various grades of steel for different parts of a wrench—a 3/8" or 1/2" square drive Free Wheeling Ratchet having miscellaneous parts made of 8 various steels—each best serving its purpose.

New NUEET Socket Wrenches

ELIMINATE NEED FOR 3/8" AND 1/2" SERIES

Great demand for Nuggets—the amazing wrenches introduced early in 1938—has caused Blackhawk to forge ahead with additions and refinements. Mechanics themselves have proved Nuggets the right tools for modern work! No reservation is made in positively recommending Nuggets in place of all 3/8" and 1/2" series wrenches!



3/8" Drive Socket — replaced by 7/16" series





1/2" Drive Socket — replaced by 7/16" series

HEXITE STEEL JOES the trich /

Hexite's strength (70% stronger than chrome vanadium) permits Nuggets to be made light, slim and small to handle work of 3/8" series—yet strong and tough for all 1/2" series work. Double-Duty 7/8" drive Nuggets handle everything! Hexite—strongest tool steel known—has been used 11 years in Blackhawk power-driven sockets for assembly lines of General Motors, Ford, Chrysler and others.

NUGGETS GIVE YOU ONE SERIES OF WRENCHES TO DO THE WORK OF TWO





NEW 7/16"

Double-Duty square drive—Actual size. Replaces both 's'' and '2'' series. See diagram of handles and socket sizes, right.

B

3/8" Square Drive
— Actual
size. Representative handles and
socket sizes — in
diagram at right—
duplications with
1/2" series in red.



1/2" Square Drive
— Actual
size. Representative handles and
socket sizes in diagram at right —
duplications in red.

Eliminate THIS TIME-WASTING, EXPENSIVE 76% DUPLICATION OF 3/8" & 1/2" SERIES



³8" Series Handles and Sockets are Limited in Range — FOR CRAMPED-QUARTER WORK ONLY

Duplications of 1s" and 1/2" handles and sacket sizes indicated in RED



 V_2 " Series Handles and Sockets are Limited in Range — FOR ORDINARY HEAVY PULLS. Nuggets do the same work BETTER!



ARE ULTRA MODERN

The days of expensive duplicate wrench equipment are over. Modern automobiles and machinery are compact — demanding wrenches for both tight quarters and heavy pulls. Mechanics no longer need invest in both 3/8" and 1/2" series — Nuggets serve their place with one drive for all work.

NUGGETS HAVE DURABLE

Chromium finish

Nuggets are finished in durable CHRO-MIUM at mechanics' request! Chromium plating was introduced by Blackhawk in 1929 and has proved the BEST finish—enabling mechanics to have bright tools at all times, easy to clean and find. This rich finish—which would highlight defects in ordinary wrenches—reveals the smooth, flawless features of Blackhawk wrenches.

NUGGETS Save 42% IN TOOL INVESTMENT

Figure it out yourself—add up the cost of handles and sockets in both 3/8" and 1/2" series. Subtract the total price of Nugget handles and sockets — the difference is YOUR BIG SAVING!

A mechanic would buy 50% MORE TOOLS in 3/8" and 1/2" series to have the same range of 50 Nuggets. While Nuggets save 42% in COST — they also SAVE TIME because all tools are interchangeable. (Over 23,000 combinations can be made with a 50-piece Nugget set.)

Nuggets not only do the work of $\frac{3}{8}$ " and $\frac{1}{2}$ " wrenches — but actually handle many jobs not adapted to either of the old drives.

It's Easy-CHANGE

OVER TO NUGGETS NOW!

Start saving time and money, do better work
— be "King of the Shop" — tool up with
Nuggets! Buy Nuggets in big matched sets
—they're available in low-priced, mediumpriced and ultra-deluxe assortments. See
pages 10, 11 and 12.

Nuggets are also sold individually by Black-hawk jobbers—enabling fill-ins to small sets or build-up of complete equipment on tool-at-a-time plan. Adaptors (page 9) permit use of your old $\frac{3}{8}$ " and $\frac{1}{2}$ " specials.

The lightest Wrenches The you've ever twirled. BUT PLENTY TOUGH!

NUGGETS ARE AS STRONG
AS 1/2"TOOLS



Equal Strength



Diagram above shows cross-sections of a bar of Hexite steel and a bar of Chrome Vanadium. Although 33-1/3% smaller—the Hexite bar has same strength of Chrome Vanadium. That's why Nuggets (made of Hexite) are smaller but equally as strong as heavy and clumsy ½" tools made of ordinary high-grade allay steels.

NUGGETS GET IN TIGHT SPOTS - SAME AS 3/8" SERIES



Same Diameter



Diagrams (at left and right) show drive ends of smallest sackets in 3/8" and 7/16" series. Both sackets have same 11/16" outside diameter—PROOF that Nuggets get in everywhere and take place of 3/8" series.



NUGGET WRENCHES
ARE SMALLER — Dotted line shows relative
size of 1/1" tool compared with Nugget.

NUGGET HANDLES A V E R A G E 3 1 % LIGHTER THAN 1/2" SQUARE DRIVE TOOLS.





A 50-PIECE NUGGET SET IS 50% LIGHTER AND 52% LESS BULKY than a combination set of 1/4" and 1/2" Square Drive Wrenches of similar utility.

GRAPH OF LIFE SPAN

Nuggets outwear all other high-grade tools,

NUGGET WRENCI	Н					
Alloy Steel Tool		М	11	М	1 d	
					JI (0)	

Page Seven



Sockets and Attachments

THIN, DOUBLE HEXAGON SOCKETS

Socket No.	Socket Size	List Price	Socket No.	Socket Size	List Price
*35110 35112 35114	18" 3/8" 18"	\$0.85 .85	35124 35126	3/4" 18"	\$1.05 1.05
35116 35118	1/2" P"	.85 .85	35128 35130 35132	1"	1.05 1,35 1.35
35119 35120 35121	33" 5/8"	.85 .85	35134 35136	1 18" 11/8"	1.65 1.85
35121	11 "	.85 .85	35140	11/4"	2.10

^{*}Single Hex

DOUBLE SQUARE SOCKETS

35212 35214	3/8" 16"	\$0.90	35218 35220	₹8" 5/8" 3/4"	\$0.90 1.00
35216	1/2	.90	35224	7/4	1,35

LONG, THIN, DEEP, DOUBLE HEX SOCKETS

35314	7 "	51.35	35326	13"	\$1.60
35316	1/2"	1.35	35328		1.60
35318	16"	1.35	35330	7/8"	1.75
35320	5/8" 11"	1.60	35332	1"	1.75
35322	18"	1.60	35336	11/8"	2.10
35324	3/4"	1.60			

DOUBLE HEX UNIVERSAL JOINT SOCKETS

Socket No.	Size	Length	List Price	Socket No.	Size	Length	List Price
35414	18"	132"	\$2.95	35420	5/8"	111"	\$2.95
35416	1/2"	135"	2.95	35422	11 "	1111	3.05
35418	18"	133"	2.95	35424	3/4"	111	3.05

UNIVERSAL JOINT-45°

No. 39978—18" diameter, 11/8" overall length. List price \$2.90

DRAG LINK SOCKETS

No. 39979—13" wide and 1/8" thickList price \$1.00

SCREW DRIVER BITS

Four sizes—two regular and two new Phillips Head style, 31/4" long.

No.	Description	List price
39965	Regular .035" x 1/4" Blade	\$1.05
39966	Regular .040" x 32" Blade	1.15
	No. 2 Phillips	1.65
39972	No. 3 Phillips	1.85

ADAPTORS

For using 76" Nugget handles with "specials" in 3/8" and 1/2" series. Makes change-over to Nuggets easy.

No.	Description	List price
34964	3/8" male, 78" female	\$0.80
	-Te" male, 3/8" female	.80
	14" male, 1/2" female	.80
49974-	1/2" male, 1/8" female	.80

ALL LIST PRICES SUBJECT TO DISCOUNT

COMPLETE RANGE OF NUG-GET SOCKETS — CHROMIUM PLATED — 7/16" square drive answers every demand for close-quarter work. Wells are extra-thin but tough — butts nerrow for tight places ordinerily requiring 1/2" series. Nuggets are as strong as 1/2" series. All sockets hat broached for smooth interiors and longer life.



Double Square Sockets, Nes. 35212-35224. Short drive end for ample clearance in handle combinations.



Universal Joint Sockets

— Ultra-short overall
length — deep broach
— close-coupled.



Drag Link Socket No. 39979, Sturdy — wide blade.



Thin, Double Hexagon Sockets, Nos. 35112 to 35140. 17 sockets cover entire range of sizes found in 1/2" and 1/2" drive sets.



Long Deep Sockets Nos. 35314 to 35336. Have thin walls and extradeep broaching. For spark plugs, special automotive, aviation and industrial jobs. 11 sizes. Large bare fits this series for airplane spark plugs.



Adaptors are low cost. Makes 1/6" and 1/2" specials interchangeable with Nuggets.

Screw Driver Bits include two of regular design and two of Phillips type.

Page Nine

BLACKHAWK



& Nugget Set

WRENCH BENCH NUGGET SET

Here's the "flagship" of the Nugget fleet — the 99DD! Complete with 53 selected double-duty Nuggets in the DD stand-the most practical, ultramodern portable wrench set ever designed.

The DD stand is a combination wrench cabinet and work table with ample drawer space and a solid 1/8" steel work top. Includes adjustable work light, electrical outlets and "disappearing" doors equipped with tumbler lock. Stand is made of heavygauge steel with red baked-enamel finish and black trimmings.

Stand is 321/2" wide, 171/2" deep and 34" high with 3" toe space. All seven drawers have chromium-plated pull handles. Bottom compartment is roomy for bulky tools, electric drills, etc. A chromium plated handle on right side of stand is used when rolling stand on its two rubber-tired wheels. End of stand on which handle is mounted has two fixed legs-giving stand same rigidity as work bench.

Wheeling Ratchet

99DD CONTAINS MASTER ASS'T OF NUGGETS

Slim, trim, double-duty Nuggets are fitting companions for the modern DD stand. Be "King of the Shop" by owning the 99DD—free individual nameplate identifies this set as your very own. The following 53 pieces are included in the 99DD assortment:

HANDLES AND ATTACHMENTS

39965—Regular Screw Driver	39982—3" Extension
39966—Regular Screw Driver	39983—6" Extension
39971—No. 1 Phil. Screw Driver	39984—7½" Hinged Offset
39972—No. 2 Phil. Screw Driver	39985—15" Hinged Offset
39973—Torkfisch Tension Wrench	39986—Handle Bar
39976—5¼" Grip Handle	39990—10" Extension
39978—Universal Joint	39997—Free Wheeling Ratch
39979-Drag Link Socket	39999Brace

	Regul	ar Thin Dou	ble Hex:	
*35110— h **	35116-2"	35121-13"	35126	35132-1"
35112-36"	35119	35122—16" 35124—34"	35128-76"	35134-118"
35114 _{1/4} "	3512034"	3512 4 3/ 4"	35130-18"	
Single Hex			at a tax	
	Poubl	e Square So	ckets:	
35212-34"	35214	35216—1/2"	35218—%"	35220-4/4"
	Long D	ouble Hex S	ockets:	
35314	35318—%"	35322—{}"	35328-7/4"	35332-1"
35316—1/4"	35320—54"	35324-3/4"	35330	35336-114"
3331073	33350 78	35326-11"	20000 18	.,,
	Helmone at the	Int Carbote	Dauble Heye	

Universal Joint Sockets, Double

3312	1-16	33110 /2	35420-	/2"	10.125			17
No	oonn	_Complete	with	53	Nuggets	the	DD	Stan

and Electrical Fixtures ... List Price-Eastern \$192.00 List Price—Western* \$200.00

*Western prices apply in Arizona, California, Idaho, Nevada, Oregon, Utah and Washington.

one end of the reinforced solidsteel work top. Blackhawk Engineers "thought of everything" when the 99DD Wrench-Bench was designed.

Note how rolling doors close to lock up wrenches and equip-


ment. Vise can be mounted on



Here are the sets thousands have bought as their "starter" on Nuggets. 77L includes 26 most essential Nugget wrenches in the CB case. 77K is the same as 77L but includes the remarkable Torkflash tension wrench.

The 26 Nuggets—with their $\frac{7}{18}$ " double duty square drive—do all the work of 41 regular $\frac{3}{8}$ " and $\frac{1}{2}$ " square drive tools (see diagram below). Figure the saving yourself—comparing the attractive 77L price with total cost of $\frac{3}{8}$ " or $\frac{1}{2}$ " tools in ANY quality line.

The attractive roomy CB chest has practical drop-front design. Size 20½" long, 85%" wide, 6½" high. Plenty of extra room for hammers, pliers and other tools—plus later addition of Nugger "fill-ins." The 77L handles all automotive service and is especially ideal for full range of work on Ford and Chevrolet—also serves trucks and modern tractors. See pages 6 and 7 on how Hexite steel makes Nuggets double-duty, light-weight and long-lived. Then invest in Nuggets—nothing less than a 77L. Thousands now using Nuggets are boosting weekly wages or making more money on flat-rate jobs.



CONTENTS OF 77L and 77K

39978	.Universal	loint 39	986	Handle	Bar
				10" Exten	
39983	. Extension	Bar 39	997 Free \	Wheeling Rai	chet
39985	Hinged O	ffset 39	999	B	race
39975	.Torkflash (included	in 77K o	nly-not in 7	77L)

DOUBLE SQUARE SOCKETS 35216—1/3" 35218—1/3" 35220—5/4"

,,,		
REGULAR	THIN, DOUBLE	HEX SOCKETS
*35110—	35119—33" 35120—56"	35126— 1 8" 35128—7/6"


22440 18	J2112-32	JJ140-16
35112—3/8"	35120—5/8"	35128—7/8"
35114— 18 "	35121	35130
35116—1/2"	35122—11"	351321"
35118—18"	35124—3/4"	35134118"
Single How		

*Single Hex

No. 77L Set, CompleteList price \$49.40

No. 77K Set, Complete

(Includes Torkflash)List price 62.00





NAMEPLATE FREE

A neat chromium-finished nameplate is sent free to all buyers of 99DD, 50B, 77L and 77K Nugget wrench sets. The type above is furnished with the 50B and 99DD, and assembles behind the tumbler lock. 77L and 77K receive attractive rectangular nameplate. You will be proud to have your name identify a modern set of Nuggets!

5 O B NUGGET

Here's a compact set of 50 Nuggets for complete service work. Covers full socket range in double square, double hex, long deeps and universal type.

The spanking, red chromium-trimmed No. 19508 case is 18%" long, 73/4" high and 91/2" wide; made of sturdy steel. Assortment of 50 Nuggets in 18" double-duty drive includes the following:

HANDLES AND ATTACHMENTS

39976—Grip Hdle. 5½" lg.
39977—Sp. Ball Hdle. 8" lg.
39978—Universal Joint
39979—Drag Link Socket
39983—6" Extension Bar

39999—16" Brace 39990—10" Extension 39997—Free Wheel, Ratchet

SOCKETS

	Double	e Square:	
35212-3/8"	35214-78"	35218—18"	35224-3/4"
	35216-1/2"	35220-5/8"	
	Regular Thi	n Double Hex:	
\$35110—18"	35118—fil"	35122—17	35130- 18"
35112-3/8"	35119—33"	35124-3/4"	35132—1"
35114-18"	35120—5/8"	35126—18"	35134-11-"
35116-1/2"	35121-33"	351287/8"	
*Single Hex			
	Long Double	Hex Socket:	
35314-18"	35320-5/8"	35326-18"	35332-1"
35316-1/2"	35322—11"	35328—7/8"	35336-11/8"
35318—18"	35324-3/4"	35330—18"	· ·
Uni	versal Joint Sc	cket, Double H	ex:
35414-18"			35424-3/4"
	35418—18"		
	Scre	wdriver:	
39965-	035x1/4"	wdriver: 39966–	040x 11"

Free name plate mounts behind built-in tumbler lock. No. 50B—CompleteList price \$97.00

NUGGET

Thirty-piece general utility assortment. Includes double hex, double square and long deep sockets plus 8 basic handles and attachments. Red-enameled No. 19515 case (size 17" x 5½" x 3") is compact home for the following assortment of light-weight, double-duty Nuggets.

HANDLES AND ATTACHMENTS

39978—Universal Jt. 39979—Drag Link Socket 39983—6" Extension 39985—15" Offset 39986—Handle Bar 39990—10" Extension 39997—Ratchet 39999—Brace

SOCKETS **Double Square:**

35216—1/2	35218	—18 "	35220-5/8"
	Regular Thin	Double Hex:	
*35110—Æ"	35118-18"	35122—11	35130—{8"
35112-3/8"	35119—33"	35124-3/4"	35132-1"
35114-78"	35120—5/8"	35126-18"	35134-116"
35116—1/2"	35121-33"	35128—7/a"	
*Single Hex			

Long Double Hex Socket: 35326—18" 35328—7/8" 35332-1" No. 30K-Complete List price \$49.85

NUGGET

Seventeen-piece assortment with popular socket sizes plus hinged offset and handle bar. Ideal for service stations, tire shops and truckers. An easy start toward mechanics's complete Nugget equipment. Furnished in trim No. 19516 red case, size 15½"x2½"x2".

CONTENTS OF SET

39985—	Hinged Offset	39986—	-Handle Bar
		Double Hex Soc	kets:
*35110—18"			35130—1#"
35112—3/8"	35119—38"	35124-3/4"	35132—1"
35114-18"	35120—5/8"		35134—11/1
35116—1/2"	35121-33"	35128—7/8"	
*Single Hex			
No. 17K-	Complete		List price \$21.60



A PRECISION TOOL . . .

PERMANENTLY ACCURATE because TORKFLASH measures deflection of its standard spring-steel shaft directly. The most simple, practical, accurate method known. No delicate coils or hair springs, no friction lever devices or dial hook-ups! Dropping does not affect accuracy nor impair operation of flash signal.

TORKFLASH IS NECESSARY

for use on all Automobile, Truck, Tractor, Diesel, Airplane, Industrial Assembly and Specialty Jobs where a series of bolts must be tightened uniformly.

SMALL BOLTS are not broken with "measured" pulls of TORKFLASH.

FREE INTRODUCTORY OFFER

This bakelite case (below) — in brilliant red and glossy black — is a beautiful "home" for the sparkling chromium Torkflash. Furnished free with each Torkflash tension wrench—for limited time only.

PRACTICAL . . . ACCURATE . . . SIMPLE . . .

Torkflash results from two years of experimental research. Realizing that every mechanic must own a tension wrench—Blackhawk sought the most practical, accurate, and simple design at the lowest possible cost to mechanics. Torkflash is Blackhawk's answer—Just set pointer at required pull—the flash tells you when to stop pulling.

FIVE - IN - ONE TENSION SCALE

No mathematics necessary to operate Torkflash! Has all "Units of Measure" found in service and instruction manuals. Five-inone scale (at right) slips over cylinder enclosing flashlight as-



closing flashlight assembly at base of handle grip. Cylinder is rotated by finger pressure to show desired scale. When no tension recommendations in either inch-pounds or foot-pounds are available for special jobs—simply determine U.S.S. or S.A.E. bolt diameter and set pointer accordingly. For checking pre-set tensions direct—simply reverse revolving scale unit so that pointer pulls from zero to tension of bolts.

CHOICE OF TWO DRIVES


Nos. List Price 39975—Double-Duty 7/16" square drive ... \$16.00 49975—Standard ½" square drive 16.00

Page Thirteen

WRENCHES

RATCHETS


Selected Alloy Steel—Chromium Plated



Cut-through view of "Free Wheeler" showing construction. Rollers held firmly in contact by spring-backed plunger.



Narrow, neat appearing head of No. 49995. Convenient lobes on top plate facilitate reversing. Simply hold plats with thumb and turn socket.



Note ½" square opening on top side of 34999 and 24992 ratchets for refrigerator valves. Ratchet reverses by simply flipping lever indicated by arrow.

SEE DOUBLE-DUTY NUGGETS AND SETS — Pages 6 to 13

Reversible "Free Wheeling" Ratchets

%" & ½" Square "Lock-On" Drive
Note these outstanding features — instant reverse
without removing sockets — noiseless smooth
operation — no teeth — no back-lash — instant
reverse in any position — no play — small diameter
head—narrow neck—light weight—true balance.

8.	Pat.	Nos.
2,0	003,1	55
1,1	36,6	łD.
	2,0	8, Pat. 2,003,1: 1,936,6

Number	Dia. of Head	Length	"Lock-On" Drive	List Price
34981	1%"	7"	3/6"	\$6,25
49997		10½"	1/2"	7.50

Mechanical Ratchets—Reversible

1/4" & 3/4" Square "Lock On" Drive



Two dual purpose mechanical ratchet wrenches—one has 34" drive, the other has 34" drive. Both have 34" square opening in back of lug for refrigerator valves.

34999	1"	634"	34"	\$4.00
24992		534"	34"	4.00

1/2" Square "Lock-On" Drive



U. S. Pat. No. 1,995,009

A greatly improved mechanical ratchet. Double ratchet engagement gives smoother action — reverses instantly without removing sockets (see illustration at left) — small head, 13% diameter and narrow neck.

49996	136"	1035"	3/3"	\$6.00



For fast action in close quarters—long leverage to jerk nuts loose or set them home. Instant reverse. Cadmium plated—unusually tough and strong.

40077		-	00.00
49977	10"	14"	\$3.00

3/4" & I" Square "Lock-On" Drive



U. S. Pat. No. 1,873,472 and No. 1,807,134
For all heavy duty work. Instantly reversible by shifting patented lug.

69999	23/4"	16"	3/4"	\$10.35
89999	27/8"	20"	1"	16,00

Replacement Drive Lugs


Number	"Lock-On" Sq. Drive	For use with Ratchet No.	Price
49995	%"	Old 9811	\$0.50
69989	%"	916N & 69999	1.00
89994	1"	89999	1,20
T13	%"	Old 911X	.35

ALL LIST PRICES SUBJECT TO DISCOUNT

BLACKHAWK WRENCHES

OFFSET HANDLES

Selected Alloy Steel—Chromium Plated



Hinged Offset Handles

			1141444	
No.	Stock Dia.	Length	"Lock-On" Sq. Dr.	List Price
24999	A."	5"	34"	\$2.00
34986	18"	8"	36"	2.85
49984	56"	1156"	35"	3.25
49985	56"	1556"	3/2"	3.60
49988	56"	18"	35"	4.30
69998	 jj **	19"	34"	7.15


Sliding Offsets

49982 69997	18"	11"	34"	\$1.90 3.75	

Obstruction Offset Handles

	8			
24994	&"	5"	¾"	\$1.50
49981	96"	11"	¾"	2.60

Handle Bars





Double duty wrenches — Hinged Offsets can also be used as T or L wrench. Note cross hole in grip for use with handle bar.




Plenty of clearance with these Sliding Offsets. Handle does not stick out beyond head. Note recess for stop ball. Spring ball in heads holds it in any position.



Nothing beats the Obstruction Offsets for minimum clearance. Thin wide throat—small narrow head—but strength is there plenty.

SEE DOUBLE-DUTY NUGGETS AND SETS — Pages 6 to 13



Hinged Universal Speeder

(Shown Above)

A practical short sweep speeder that combines both a hinged shank for offset leverage and semi-universal action for speed in close quarters.

No.	Stock Dia.		Length		Shank Length	Sweep	"Lock-On" Sq. Drive	List Price
49993	36"	-	173/2"	T	7"	23/4"	34"	\$5.00

Brace Handles



49992	1/4"	1556"	1 5"	1 42/2 1	7/8	\$2.60
49999	3/4"	19"	81/4"	43/4"	1/4" 1/4"	2.80

Speeder Handles



34982 49994	7 " 14 "	18"	10"	33%"	36"	\$2.00 2,60
ן דכככד	1/2	1 19	11"	1 11/4	1 1/3	1 2,00

Here's the head that makes the 49993 a real nut hound. Slotted throat gives 90° offset for leverage and 45° universal action.



Grip handles on Braces never come off, stick, or jam. They're held by Blackhawk's patented method as shown. Smooth action means easy work.



U. S. Pat. No. 1,764,690

Arrows indicate hardened thrust and aleeve bearings that make for real speed — minimize wear and prevent sticking. Note grip is spun onto handle — can't come off.

SEE DOUBLE-DUTY NUGGETS AND SETS—Pages 6 to 13

ALL LIST PRICES SUBJECT TO DISCOUNT

BLACKHAWK 🚄

WRENCHES

EXTENSIONS

Selected Alloy Steel—Chromium Plated

Extensions increase the reach and adaptability of all handles. For work in out-of-the-way places, Blackhawk Extensions with the exclusive "Lock-On" feature save time and have the rigidity of one-piece construction. Attachments can't drop off to become lost or cause damage.





Extensions with Revolving Grip

No.	Stock Dia.	Length	"Lock-On" Sq. Drive	List Price
49983	5/4"	6"	3/4"	\$2.15
49987	3/5"	10"	1/3"	2.50

Grip Handle and Extension



Here are two tools in one. Use them as a grip handle to quickly set a nut—or as an extension for extra reach. Ideal for ignition and carburetor work. Cross drilled for handle bar to make T or L.

24998	3/2"	5"	3/4"	\$1.20
34997	11."	5"	36"	1.70

Standard Extension Bars

	73			
†24996	۸"	5"	3/4"	\$1.05
34988	70"	3"	36"	1.40
34987	74"	5"	3/4"	1.50
34984	74 "	10"	34"	1.60
34983	76 "	16"	36"	2.15
††49989	***	2"	3/3"	1.20
49990	18.77	10"	3/2"	2.00

†Not equipped with Lock-On.
††Similar in appearance to No. 89998 shown below. Can be used with handle bar No. 49986 to make sliding offset.

Heavy and Extra Heavy Duty Extensions

a'-						
69995	11"	814"	3/4"	\$3.10		
69994	13"	17"	3/4"	3.80		
89996	11/4"	9"	1"	5.50		
89995	11/4"	18"	1"	6.50		

Sliding T—Extra Heavy Duty



All Extra Heavy Duty Series-1" square drive are finished in Cadmium.

Blackhawk Extensions do double duty — cross hole in head takes handle bar to make T or L wrench. Spring ball holds bar firmly in any position.



Note the trim, clean, businesslike appearance of the Blackhawk drive. Edges chamfered to prevent sticking—milled to a perfect fit—with butt stop that keeps socket in position.



Here's a feature of the Sliding T—spring ball in head engages with groove in center of handle to prevent slipping—a real convenience for heavy work.

SEE DOUBLE-DUTY NUGGETS
AND SETS — Pages 6 to 13



No. 21006 Series



No. 30008 Series



No. 40112 Series



No. 30314 Series



No. 19055 Set



Nos. 21106 Series 30108 " 40210 "



Nos. 3327—3329—3731 Complete with Handle.

SEE DOUBLE-DUTY NUGGETS AND SETS — Pages 6 to 13

Page Eighteen

SOCKETS

WRENCHES

21108

21110 | †Single Square

Selected Alloy Steel—Chromium Plated

To determine socket size—last two figures in each socket number indicates size in 32nds of an inch. Example: No. 40114 indicates 14/32" or 7/16".

Extra Small Series—1/4" Square Drive

			Hex Sockets		
No.	Socket Size	List Price	No.	Socket Size	List Price
†21006 †21007 †21008 †21009	ለ" ሉ" ¼"	\$0.45 .45 .45 .45	†21010 †21011 21012 21014	#" 11" 36"	\$0.45 .45 .45
†Single Hex.		ouble Square	Sockets		
†21106 I	1"	\$0.45	21112	36"	\$0.55

Small Series—%" Square "Lock-On" Drive

21114

	Thir	Wall Doubl	e Hex Socke	ts	
†30008 †30010 30012 30014 30016	%" %" %" %"	\$0.70 .70 .70 .70 .70	30018 30020 30022 30024	%" %" %" %"	\$0.70 .70 .80
†Single Hex		Double Squa	re Sockets		
30108 30110 30112	34" 4" 34"	\$0.80 .80 .80	30114 30116	₹4"	\$0.90 .90

Long Thin	Wall Double	Hex Sockets	1%" to 2"	Long Over	All Lengths
30314	ሉ"	\$0.90	30320	54"	\$1.00
30316	%"	.90	30322	11"	1.15
30318	ሉ"	1.00	30324	34"	1.25

No. 19083 Set-Long Thin Wall Sockets

NEW! Includes all six sizes of long, thin-wall double hex sockets in 3/8" series—range from 1/8" to 3/4". Contents: One each Nos. 30314, 30316, 30318, 30320, 30322 and 30324. No. 19083 Set—Packed in cardboard box......List Price, Each \$6.20

Standard Series—1/2" Sq. "Lock-On" Drive

		Tirin	AA CTII	Dombre	Uex Doc	KOM		
40112	36"	\$0.80 4	10121	1 11"	\$0.80	40130	11"	\$1.20
40114	7 "	.80	10122	14"		40131	11"	1.20
40116	1/4"	.80 4	10124	3/4"		40132	1"	1.20
40118	₩"	.80 4	10125	15"	.95	40134	110	1.50
40119	11"	.80 4	10126	12"		40136	136"	1.60
40120	56"	.80 4	10128	7/8"	.95	40140	154"	1.70

No. 19055 Set-Thin Wall Sockets

Fourteen of the most popular Thin Wall Sockets packed in strong cardboard box. "Lock-On" feature, 3/4" square drive. Sizes from 3/6" to 1". One each Nos. 40114, 40116, 40118, 40119, 40120, 40121, 40122, 40124, 40125, 40126, 40128, 40130, 40131 and 40132.

140.		
19055-List	Price	Each\$13.00

Double Square Sockets								
40210 40212 40214 40216 40218 40219	ሉ" %" %" %"	\$0.75 40220 .75 40222 .75 40224 .75 40225 .75 40226 .75 40228	11" 34" 11"	.80 .90 .90	40230 40232 40234 40236 40240	計" 1" 1法" 1%" 1%"	\$1.40 1.40 1.60 1.75 1.85	

Spark Plug Sockets

3327—For a	all 📲"	hexagon spark plugs\$	0.60
3329—For a	all 7/8"	and 1" hexagon spark plugs	.60
3731—For a	all 👬 "	and 11/4" hexagon spark plugs	.60

BLACKHAWK WRENCHES

Stand. Series—½" Sq. "Lock-On" Dr.—Cont.

Extra Deep Thin Wall Double Hex Sockets

Here is a complete series of extra deep, thin wall double hex sockets. Designed for removing spark plugs—shackle bolts and spring clip nuts. ½" square "Lock-On" drive-broaching adapts them to handles in the standard series. Cross hole permits use of bar for leverage. 3½" over-all length.

No.	Bocket Bize	Max. Diam.	List Price	No.	Socket Sixe	Max. Diam.	List Price
40316	3%"	#1"	\$1.45	40326	33"	144"	\$1.60
40318 40320	18 "	35"	1.45	40328	3/6"	144"	1.60
40322	56" 16"	1/4"	1.60	40330 40332	111"	13/4"	1.75
40324	3/4"	17."	1.60	40336	136"	177	1.95

See table of sockets required for various spark plug sizes-upper right.

No. 19051 Set—Extra Deep Sockets

A complete set of deep—thin wall double hex sockets. Sockets range from ½" to 1½". Every car, truck or tractor can be serviced with this set. Packed in strong cardboard box. Contents: One each Nos. 40316, 40318, 40320, 40322, 40324, 40326, 40328, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40322, 40320, 40328, 40330, 40332 and 40336.

19051—List Price Each\$16.35

No. 19082 Set—Spark Plug Sockets

NEW! Five selected spark plug sockets to handle all 1939 model cars. Extra deep, thin wall double hex ½" series. Range from 5%" to 1". Packed in strong cardboard box.

Contents: One each Nos. 40320, 40322, 40326, 40328 and 40332.

19082 Set-Packed in cardboard box List Price, Each \$8.15

Heavy Duty Series—¾" Sq. "Lock-On" Drive Double Hex Sockets

60028 60030 60031 60032 60034 60036 60038	36" 計" 計" 1" 1六" 1六"	\$1,25 1,25 1,25 1,25 1,55 1,55 1,55	60040 60042 60044 60046 60048 60050	1½" 1½" 1½" 1½" 1½" 1½"	1.75 1.90 1.90	60052 60054 60056 60058 60060 60064	156" 118" 134" 118" 118" 2"	\$2.20 2.60 2.60 3.00 3.00 3.75
---	-------------------------------------	--	--	--	----------------------	--	--	--

Double Square Sockets

60128	4.95
-------	------

Extra Heavy Duty Series—1"Sq."Lock-On" Dr. Single Hex Sockets

80034	14"	\$1.90	80060	124"	\$4.25	80082	2 7 7	\$10.00
80036	1%"	1.90	80062	111"	4.50	80084	256"	10.75
80040	134"	2.00	80064	2"	4.75	80086	211"	11.50
80042	14"	2.00	80066	2 1 "	5.50	80088	23/4"	12.25
80044	136"	2.00	80068	234"	6.00	80090	218"	13.00
80046	17."	2.25	80070	24"	6.25	80092	27/4"	13.75
80048	13/5"	2,60	80072	23/4"	6.50	80094	211"	14.50
80050 80052	156"	2.60	80074		7.00	80096	3"	15.25
80054	111	3.25	80076		7.75	80098	318"	16.00
80056	134"	3.50	80078	216"	8.50	80100	336"	16.75
80058	144"	3.75	80080	21/4"		*80112	334"	30.00

Single Square Sockets

81034 1½" \$2.30 81044	136"	\$4.40	81052	156"	\$6.90
81036 1½" 2.30 81046	1表"	5.75	81058		7.00
81038 1½" 2.75 81050	1表"	6.15	81064		8.30

^{*}Produced only on special order.

TABLE OF SOCKET NOS. FOR VARIOUS TYPES OF SPARK PLUGS

No.	Size	Spark Plug
10322	14"	10 mm. Globe, Auto Lite and Champion
40318 40320	**	10 mm, AC-Y series 10 mm, AC-104 series
40326 40332	<u>}</u> ;"	14 mm. All Makes 18 mm. All Makes

AVIATION

40322 40332	jt."	B&G &		
40324 40328	74." V	Benton Bendix	(scint	illa)
get So	ckets	or Long, handling e sizes.	Deep same	Nug- work



No. 40316



No. 19051

IMPORTANT

- Do not draw down spark plugs with ordinary wrench. Guesswork may crack porcelain may crack porcelain or spread points, reducing life of plug or causing poor firing. Use Torkflash tension wrench for "measured" pulls and proper setting. See page 13.



No. 60028 Series



No. 80034 Series

SEE DOUBLE-DUTY NUGGETS AND SETS—Pages 6 to 13

WRENCHES

No. 49980



Nos. 24993 49978 34993 69993



No. 30212 Series





Nos. 49979 34991



No. 69991



SEE DOUBLE-DUTY NUGGETS AND SETS — Pages 6 to 13

Page Twenty

SOCKETS AND ATTACHMENTS

Selected Alloy Steel—Chromium Plated

Stud Setter and Extractor

Used with any standard ½" square drive handle. Has 2 drilled holes for changing position of serrated gear to fit studs from ¼" to ¾". Gears are milled and not knurled—thus providing longer life.

No.	List Price
49980	\$3.60

Universal Joints

A greatly improved series of universal joints—stock diameter reduced offering more clearance—accessibility increased by shorted over-all length—and full 90° angle to reach awkward jobs.

No.	Sq. Dr.	List Price	No.	Sq. Dr.	List Price
24993	1/4"	\$2,00	49978	3/4"	\$2.60
34993	3/6"	2,40	69993		6.25

Universal Joint Sockets

All Double Hex with 3/8" Square "Lock-On" Drive.

No.	Size Socket	List Price	No.	Socket Size	List Price
30212 30214 30216 30218	%" %" %" &"	\$2.60 2.60 2.60 2.60	30220 30222 30224	96" 11" 34"	\$2.60 2.75 2.75

Screw Driver Bits

Used with any ¾" square drive handle. Very useful on magneto, carburetor and ignition work. Made of special tool steel, properly heat treated and hardened—Chromium plated.

No.	Size of Blade	Length	"Lock-On" 8q. Dr.	List Price
34994	.025"x+"	31/4"	36"	\$1.00
34995	.035"x1/4"	31/4"	34"	1.00
34996	.040"x11"	31/4"	34"	1.10

Tie Rod and Screw Driver Attachments

	Edge of		"Lock-On"	List
No.	Blade	Length	Sq. Dr.	Price
34991	li"×i∗"	1"	3/6"	\$0.85
49979	禄"本品"	15/3"	1/2"	1.00

Adaptors

Note new adaptors—Nos. 39964, 49974, 34964 and 39974—enabling use of ** Nugget series with "specials" in 3/8" and 1/2" drives.

Adaptor No.	Female Opening "A"	Used on Handles to	Male End "B"	List Price
39964	3/4"	Increase to	178 "	\$0.80
49974	76 "	Increase to	1/4"	.80
69992	1/2"	Increase to	3/4"	1.25
79998	3/4"	Increase to	7/4"	2.00
89993	3/4"	Increase to	1"	2.40
89992	2/8"	Increase to	1"	2.50
34964	7 **	Decrease to	34"	.80
39974	3/4"	Decrease to	78"	.80
49991	3/4"	Decrease to	1/2"	1.25
69988	7/1"	Decrease to	3/4"	2.00
69990	1"	Decrease to	34"	2.90
79999	1"	Decrease to	3/4"	2.50
†69991	3/4"	Decrease to	1/4"	1.40

[†]Ratchet drive adaptor.

BLACKHAWK WRENCHES HANDLES AND ATTACHMENTS Water Pump Pliers Thin tough jaws that work in restricted quarters—long balanced handles curved to fit the hand—five position adjustment with a range from 0 to 2". This handy plier is adaptable for use on water pump packing nuts, brake adjustments and wherever a sure grip is needed. Every service station operator should have one. Length, 9½"—thickness of jaws, ¼". 12001-List Price, each..... No. 12001 No. 12002 Universal Pliers Ideal for a wide range of uses including adjustments on water pumps, head-light mountings, brakes, battery terminals, etc. Three position jaw adjustment. Length, 7". Thickness of jaws, 12002—List Price, each......\$2.30 No. HI Universal Ignition Pliers New style Ignition Pliers, with full-fashioned grip handle. Easier to hold and to work with. Especially adapted to ignition service, carburetors, radios and other small jobs. Three position slip jaws provide opening range from 0 to 3/8". Thickness of jaws, 1/8"; over-all length, 5". No. 2581 H1-List Price, each......\$1.85 Steel-Draulic Brake Pliers Fits all Steel-Draulic Brakes. No. 2583 2581—Overall length 51/4". List Price......\$2.60 **Brake Spring Pliers** For removing and replacing internal brake springs. 2583—Length 121/2". List Price\$3.40 Midget Grip Handle 5" long, '4" square friction drive. Has hard rubber handle giving sturdy grip for speed and leverage. Adapted for use with No. No. 24995 24994 as an L wrench. 24995—Length 5". List Price......\$1.70



SEE DOUBLE-DUTY NUGGETS AND SETS - Pages 6 to 13

34990—Length 41/8". List Price......\$0,30

"Lock-On" Release Key
Used for releasing all "Lock-On" Sockets in the present 3/8"
and old style 1/4" and 3/4" square drive series.

BLACKHAWK WRENCHES

NEW BLACKHAWK MASTER MECHANIC WRENCH SET



THE TREASURE CHEST

The No. 70R Set

Mechanics — here is the glorified Blackhawk Treasure Chest! All dressed up in an improved case—streamlined—with attractive red enameling and chromium fittings. All wrenches feature the new "Gripline" design and have the exclusive "Lock-On" feature.

Design Patent No. 103,914

Modern — Inside and Out

The new R case is built of strong welded steel. Top cover and front lift in one piece giving full access to the wrenches. Dependable tumbler lock protects tools against theft. Chromium strips—Blackhawk insignia—and your individual nameplate contrast brilliantly with the attractive red case.

The R case is 22½" long, 10" high, 12½" wide.

SEE DOUBLE-DUTY NUGGETS AND SETS — Pages 6 to 13



See Page 26 for Contents of 70R Set

The 70R assortment is the most complete yet compact line-up of essential handles, attachments and sockets ever offered in the regular series.

Sockets range from 3" to 15%". Handles include ratchet, offset, speeder and extension styles. Yes, a wrench for any job, big or small, delicate or tough.

Black, ribbed-rubber matting covers the roomy compartments and tote trays offering protection against marring or scratching. The R case fits into the RS stand (illustrated on page 23) to make a complete portable workshop.

No.	at Price
70R Set, 70 pieces in R case	116.00
R Case Only, 221/2" long, 10" high, 125/8" wide	

BLACKHAWK 🔪 WRENCHES

NEW BLACKHAWK MASTER MECHANIC WRENCH SET

THE TREASURE ISLAND

No. 80RRS Set

Wheel your wrench workshop right to the job—save time and steps. This new Treasure Island is efficiency on wheels guaranteeing every mechanic better workmanship and bigger earnings.

Customers, too, are impressed with the serviceable appearance and beauty of this assortment.

The streamlined 80RRS provides 80 selected Blackhawk tools, the R case, and the RS stand. The base of the R case slips into the top of the welded-steel RS stand, forming one complete unit. Rubber-tired swivel casters roll the Treasure Island silently and easily over any floor. The stand, with the R case, is 34½" high, 125½" deep and 22½" wide. A large drawer and lower compartment provide plenty of space for overalls, drills, bulky tools, etc. This unit is the finest in modern wrench chest design.



Design Patent Nos. 103,894 & 103,914



Chest Easily Removed From Stand

The R case is quickly removed from the RS stand if the case is to be taken out of the shop. The RS stand is 25" high, 221/2" wide and 123/6" deep.

 Contents of the 80RRS Set.

See Page 26 for

SEE DOUBLE-DUTY NUGGETS AND SETS — Pages 6 to 13

ALL LIST PRICES SUBJECT TO DISCOUNT

Page Twenty-three

BLACKHAWK WRENCHES

NEW BLACKHAWK MASTER MECHANIC WRENCH SETS



THE RED ROVER

70DS, 80DS, 90DS and 100DS Sets

Here's a "natural" for the efficient shop! Scoot the Red Rover to the iob and vou have all tools and necessary equipment at your finger-tips. Customers will know they are served by a top-notch mechanic who does not run up a time-charge by walking around the shop to find scattered tools.

See Page 26 for Contents of 70DS, 80DS, 90DS and I00DS Sets.

Design Patent

Shop Owners—Attention!

Dress up your back shop with these attractive and profit producing wrench assortments. Better tools mean better workmanship. Appearances count these days when customers are taking their business to the shop that displays efficient and modern equipment.

There is no finer way to produce new business and keep old customers coming back than to point out a well equipped shop. And Blackhawk wrench chests and stands will more than do their share.

SEE DOUBLE-DUTY NUGGETS AND SETS—Pages 6 to 13

This rolling workshop comes with assortments of 70, 80, 90 or 100 selected Blackhawk tools in its three roomy drawers. The DS stand is 33" high, 30" wide and 16" deep. All drawers slide on rollers and have built-in locks. Black ribbed-rubber matting in drawers and trays prevents tools from rattling and marring

Rubber-tired casters glide the Red Rover over any floorsilently and easily. Drawers have subdivided interiors for keeping sockets and handles in order. This sturdy, welded-steel stand wheels tools and other equipment right to the job, saving countless trips to distant work benches.

There's no surer way to perform better work, get in solid with the boss and cinch your job than to own one of these glorious, complete wrench sets.

No.	ist Price
70DS Set, Complete in DS stand	\$148.00
80DS Set, Complete in DS stand	168.00
90DS Set, Complete in DS stand	180.00
100DS Set, Complete in DS stand	201.00
DS Stand Only, 33" x 30" x 16"—East Coast	65.00
*DS Stand Only—West Coast	71.25
	_

*West Coast Prices apply in Arizona, California, Idaho, Nevada, Oregon, Utah and Washington.



THE BIG CHIEF 90W and 100W Sets

Here is the Big Chief of all wrench cases! Modern design is built into every corner and dimension of the W chest and into every one of the selected tools it contains. This large set is a big "office" for the mechanic who aims to get ahead and make more money!

Design Patent No. 103,912



W Case

WRENCHES

துதுகுகுகு அது அதுதுகுகுகுகுகு

This beautiful chest, with tote box and drawers, keeps tools in order and at your finger tips. All drawers are covered with black ribbed-rubber matting—a gleaming contrast with the polished chromium plating of the Blackhawk Wrenches. The streamlined, all-steel case is 27" long, 11½" high and 125% wide—a trim, modernistic beauty that glorifies any work-bench.

The big tool assortments available with the Big Chief Chest (either 90 or 100 pieces) are the most superb matched collections of regular wrenches the master mechanic can buy. A full range of sockets in all popular drives—plus all important socket handles, box-type and open-end wrenches—give the proud owner a one-way ticket to a better job and more money in the bank.

ALL LIST PRICES SUBJECT TO DISCOUNT

See Page 26 for Contents of 90W and 100W Sets

SEE DOUBLE-DUTY NUGGETS AND SETS—Pages 6 to 13


Page Twenty-five

WRENCHES

CONTENTS
of Blackhawk Master
Mechanic Wrench Sets

Chart below lists and describes all wrench items in sets shown on pages 22, 23, 24 and 25.

FREE MECHANIC'S NAME PLATE FURNISHED WITH EACH SET!



Popular tappet, open-end and box-type wrenches complete these matched assortments—providing a full range of mighty tools to handle all repair work.

Contents of Sets Contents of Sets — Continued TOOLS IN SETS: TOOLS IN SETS: | 70R | BORRS | 90W | 100W | 100DS | 100DS | 70R | 80RRS | 90W | 100W | 70DS | 80DS | 90DS | 100DS No. Description Description Extra Small Series, 1/4" Square Drive Standard Series, 1/2" Square "Lock-On" Drive 40224 34" Double Square Socket... 1 40316 32" Long Db'l Hex Sk't... — 40318 4" Long Db'l Hex Sk't... 1 40320 34" Long Db'l Hex Sk't... — 40324 34" Long Db'l Hex Sk't... — 40326 il" Long Db'l Hex Sk't... 1 40328 1" Long Db'l Hex Sk't... 1 40332 1" Long Db'l Hex Sk't... 1 40333 1" Long Db'l Hex Sk't... 1 40336 134" Long Db'l Hex Sk't... 1 Handle Bar 24997 Handle Bar Grip Extension Hinged Offset A" Single Hex Socket "Single Hex Socket "Double Hex Socket "Double Hex Socket Metal Case 24998 24999 1 1 21006 21007 21008 21009 21010 21011 21012 21014 Heavy Duty Series, 3/4" Square "Lock-On" Drive Small Series, %" Square "Lock-On" Drive 69995 81/2" Extension 1 349R1 69998 69999 349R4 60036 G0040 34985 34986 34990 60044 34991 60048 Universal Joint 1 Universal Joint | 1 Grip Extension | 1 A" Single Hex Socket | --34" Double Hex Socket | 1 A" Dob'l Hex Univ. Jt. Sk't | 1 A" Db'l Hex Univ. Jt. Sk't | 1 A" Db'l Hex Univ. Jt. Sk't | 1 60052 60056 34997 30010 30012 30014 30016 Short Double Offset Box-Type Wrenches 30020 ኝ/" & ች" Double Hex 1 ኝ/" & ች" Double Hex 1 ኝ/" & 14" Double Hex 1 30024 30216 30218 Long Double Offset Box-Type Wrenches 14" & 19" Double Hex 1 12" & 74" Double Hex 1 12" & 1" Double Hex — Standard Series, 1/2" Square "Lock-On" Drive Universal Joint Screw Driver 6" Extension 49978 49979 49983 Tappet Open-End Wrenches Hingde Offset Handle Bar 10" Extension 49985 49986 49990 14" & 14" Tappet Wrench — 14" & 14" Tappet Wrench — 14" Tappet Wrench — 14" Tappet Wrench — 15" Tappet Wre Free Wheeling Ratchet 49997 Brace Handle 49999 Brace Handle 2 Double Hex Socket 2 Double Hex Socket 2 Double Hex Socket 3 Double Hex Socket 4 Double Hex Socket 40114 40116 Open-End Wrenches 40118 40119 ¾" & ½" O. E. Wrench... ¾" & ¼" O. E. Wrench... ¾" & ¼" O. E. Wrench... ½" & ¼" O. E. Wrench... 40120 1025 1027C 40122 Jar Double Hex Socket ... 1 Jar Double Square Socket ... 1 40124 40125 40126 40128 40130 40132 40134 Ignition Open-End Wrenches 40212 ↑" & ☆" Ign. Wrench — ¼" & ↑" Ign. Wrench — ↑" & ¾" Ign. Wrench — ¾" & ¾" Ign. Wrench — 40216 40220 (Continued in next column)

BLACKHAWK 🗻 WRENCHES

WRENCH SETS

Selected Alloy Steel—Chromium Plated

No. 10ND — Midget Set

A new handier ignition set for fine adjustments. Includes new combination grip and offset handle, No. 24999—serves as grip, offset or T or L handle with 24997. Case is enameled Blackhawk Red.

Contents of Set:

No.
10ND Set, CompleteList Price \$7.15
N-4 Case Only, 5¾" long, 2½" wide, 1¾" high. List Price 1.15

No. 16ND Ignition Set

A complete new assortment of extra small series socket wrenches, together with five miniature open-end wrenches for delicate work in close quarters. Ideal for repairs on relays, generators, starters, switches and radios; ice machines, oil burners, linotypes and similar precision instruments.

Packed in a convenient metal case that fits into the pocket easily. It's at your finger-tips when needed. Case is enameled Blackhawk Red.

Contents of Set:

24995 Grip Handle 24996 5" Extension 21006 ½" Single Hex Socket 21007 ½" Single Hex Socket	21011 21012 21014 H10 H12 H14 H16 H18	ii" Bingle Hex Socket 'i" Double Hex Socket 'i" Double Hex Socket 'i" No Double Bad 'i" No Double Bad 'i" Open End 'i" No Double Bad
---	--	--

No. 16ND Set, CompleteList Price \$11.50 N-4 Case Only, 5½" long, 2½" wide, 1½" high List Price 1.15

No. 16QD Set

Up-to-the-minute in design and practicability. All sockets are new, thin-wall, straight type for minimum clearance. Includes the new "Free Wheeling" ratchet wrench. Oil burner, refrigerator service men and aeronautical mechanics will welcome the set. All units have 3/8" square Lock-On Drive. Case is enameled Blackhawk Red.

Contents of Set:

34962	Speeder Handle	30010	4"	Bingle Hez Socke Double Hez Socke
34981	Ratchet	30012	34"	Double Hex Socke
34987	5" Extension	30014	7 "	Double Hex Socke
14984	10" Extension	30016	34"	Double Hex Socke
34986	Hinged Offset	30018	4"	Double Hex Socke
34965	Handle Bar	30020	12"	Double Hex Socke
34993	Universal Joint	30022	II.	Double Hex Bocke
14990	Release Key	30024	4/4"	Double Hex Socke Double Hex Socke

No.
16QD Set, CompleteList Price \$24.85
Q Case Only, 183%" long, 53%" wide, 1 % high..List Price 3.60

No. 13PD Set

Similar to the 17TD but with four less tools and contained in smaller P case. Ideal for quick service work or as emergency kit in trucks and buses.

Contents of Set: Same as 17TD, except has 115%" Hinged Offset No. 49984. Double Hex sockets same except omits larger sizes, Nos. 40126, 40132, 40134, and 40136. Case is enameled Blackhawk Red.

No. 13PD Set, Complete......List Price \$13.50 P Case Only, 11¼" long, 4" wide, 11/8" in. high............ 1.55





No. 10ND Set



No. 16ND Set



No. 16QD Set



No. 13PD Set

SEE DOUBLE-DUTY NUGGETS
AND SETS — Pages 6 to 13

WRENCHES

WRENCH SETS

Selected Alloy Steel—Chromium Plated

THE JUNIOR TREASURE CHEST—No. 45CB

Expert mechanics themselves helped design this assortment of Blackhawk Wrenches. It's practical, complete, and priced within the reach of every mechanic. Forty-six (46) beautiful chromium plated tools—a full assortment of our latest handles and attachments that help make jobs easier and more profitable.

The "Junior Treasure Chest" Assortment is packed in attractive steel, drop-front chest, enameled red. Name-plate furnished free with the mechanic's name.

Contents of Set: Small Series

3/4" Square "Lock-On" Drive

34982 Brace Handle	34984 10" Extension
34986 Hinged Offset	34993 Universal
34985 Handle Bar	34991 Screw Driver
34987 5" Extension	34990 Release Key

Two Single Hex sockets 1/4" and 1/4". Nos. 30008 and 30010. Pive Double Hex sockets 3/4" to 1/4". Nos. 30012, 30014, 30016, 30018 and 30020.

Standard Series 1/2" Square "Lock-On" Drive

 49997 Ratchet
 49979 Screw Driver
 49981 Obstr. Offset

 49983 6" Extension
 49994 Speeder
 49985 Hinged Offset

 49990 10" Extension
 49993 Univ. Speeder
 49985 Handle Bar

 49978 Universal
 49993 Univ. Speeder
 49985 Handle Bar

13 Double Hex sockets \$\frac{1}{2}"\$ to 1". Nos. 40114, 40116, 40118, 40119, 40120, 40121, 40122, 40124, 40125, 40126, 40128, 40130, and 40132. Five Double Square Sockets from \$\frac{1}{2}"\$ to \$\frac{1}{2}"\$. Nos. 40214, 40216, 40218, 40220 and 40224. Three Box-Type Wrenches from \$\frac{1}{2}"\$ to \$\frac{1}{2}"\$, Nos. 15612, 15613, and 15614.

45CB CompleteList Price \$72.00

CB Case Only, 201/2" long, 85/8" wide, 61/2" high List Price

No. 17TD Set

Special set of Hinged Offset Handle bar and 14 of the most popular Double Hexagon sockets. Units in this set have standard ½" square "Lock-On" drive. Packed in red metal case T. Contents of Set: No. 49986 Handle Bar, No. 49988 18" Hinged Offset. 14 Double Hex Sockets from ¾" to 1½", Nos. 40112, 40114, 40116, 40118, 40119, 40120, 40122, 40124, 40126, 40128, 40130, 40132, 40134 and 40136.

17TD Set, Complete.....List Price \$19.50

T Case Only, 191/8" long, 23/4" wide, 17/8" high..List Price 2.00

No. 30CD Set

Demand of mechanics for the best in general automotive wrench assortments has made the No. 30CD the most popular wrench set available. Packed in a neat red case to make the best looking bunch of tools any mechanic could desire. Units in this set have standard ½" Square "Lock-On" Drive.

Contents of Set:

49992	Speede Brace Ratche	Handle	499	66 Hand	ed Offse lle Har Extensio		19978 T	0" Ext Iniversa Irag Lin	Joint
14 D	ouble H ize. Sam	ex socke	ts, same square so	as in S	et 45CE No. 45C	B with	addition exception	of No.	40112, 40224
No. 30C	D Set,	Comp	lete		*********		List	Price	\$44.00
CA	Case	Only	201/8"	long.	73/4"	wide.	51/3"	high	



BLACKHAWK

No. 45CB



No. 17TD S t



No. 30CD

SEE DOUBLE-DUTY NUGGETS
AND SETS - Pages 6 to 13

BLACKHAWK 🗻 WRENCHES

WRENCH SETS

Selected Alloy Steel—Chromium Plated

No. 12SD — Heavy Duty Set

Mechanics in truck and bus shops will welcome this handy set of heavy duty wrenches. You'll find a ready market for this set wherever powerful heavy duty tools are used. No chance of sockets slipping. All units have 3/4" Square "Lock-On" Drive. Set packed in handy radiant-red metal case CA.

Contents of Set:

69998 Hinged Offset 59996 Handle Bar 60032 1" Double Hex Socket 60034 1½" Double Hex Socket 60035 1½" Double Hex Socket 60040 1½" Double Hex Socket 60042 1½" Double Hex Socket	60044 134" Double Hex Socke 66046 134" Double Hex Socke 60048 134" Double Hex Socke 60052 134" Double Hex Socke 60058 134" Double Hex Socke 60064 2"
---	---

No. 12SD Set, CompleteList Price, \$35.25 CA Case Only, 201/8" long, 73/8" wide, 51/2" high List Price 5.20

No. 14BD — Heavy Duty Set

These powerful heavy duty handles and sockets are just the tools needed on repair and assembly of trucks, tractors, combines, farm and power machinery, graders, pavers and other machine units. No chance of socket slipping from handle end for all units in this set have ¾" square "Lock-On" drive.

All sockets double Hexagon, Contained in husky steel case, No. CA-enameled radiant Blackhawk Red.

Contents of Set:

69999	Ratchet	1 60042	1 A" Double Hex Socket
69997 69 9 95 69994	Sliding Offset 8½" Extension 17" Extension		114" Double Hex Socket 114" Double Hex Socket 114" Double Hex Socket
60032 60034 60036	1" Double Hex Socket 1 1 "Double Hex Socket 1 14" Double Hex Socket	60052 60058 60064	144" Double Hex Socket 144" Double Hex Socket 2" Double Hex Socket
60040	11/4" Double Hex Socket	1	

14BD Set, CompleteList Price \$47.60 CA case Only, 201/8" long, 73/8" wide, 51/2" high. List Price 5.20

No. 12ED — Extra Heavy Duty Set

No nut or bolt too tough for this set. An industrial service and maintenance set designed to provide greatest strength and utility. All units have 1" Square "Lock-On" Drive.

Large socket range and practical handles, ratchet and extensions adapt this set to unusual requirements. Ideal for machinery installation, industrial Diesel service, oil and mine equipment, etc. Positive "Lock-On" feature insures safety and prevents sockets and attachments from falling off.

Contents of Set:

89999 89998 89997	Ratchet Offset Adaptor Head Handle Bar for 89998	80046 80052 80058	1 %" Single Hex Socket 1 %" Single Hex Socket 1 1 %" Single Hex Socket
89996	9" Extension	80064	2" Single Hex Socket
89995	18" Extension	80070	2\frac{1}{4}" Single Hex Socket
80040	114" Single Hex Socket	80076	2\frac{1}{4}" Single Hex Socket

This set finished in cadmium. Chest enameled Blackhawk Red. No.

12ED Set, CompleteList Price \$72.90 E Case Only, 23½" long, 7" wide, 4¾" high...List Price 10.35

ALL LIST PRICES SUBJECT TO DISCOUNT



No. 12SD Set



No. 14BD Set



SEE DOUBLE-DUTY NUGGETS

AND SETS—Pages 6 to 13

WRENCHES



BOX-TYPE WRENCHES

Selected Alloy Steel—Chromium Plated

This new modernistic series of box-type wrenches are beautiful in appearance and unusually rugged for the toughest jobs. Note their comfortable Gripline handles-accurate broachperfect balance—and slim heads to get into cramped quarters and over or under obstructions.

Double Offset - Short

No.	Opening	Length	Liat Price
15612	36"×6"	436"	\$0.95
15613	3/3"×∰"	53/4"	1.00
15614	56"=16"	6"	1.10

Double Offset - Long

Five new wrenches increase range from 3/4" up to 23/4".

15620	3/4"x 3/4"	121/2"	\$1.70
15622	36"× 16"	756"	1.00
15623	½"x ½"	854"	1.10
15624	56"× 11"	93/4"	1.30
15625	34"× 38"	1136"	1.50
15626	18"x 7/4"	121/2"	1.70
15627	11 "x1"	141/4"	2.00
15629	1" ×1 1"	161/4"	3.20
15630	134"x134"	163/4"	4.15
15829	13/4"x13/4"	181/2"	4.55
15830	17 "x15"	23"	6.00
15831	1 1 2 "x2"	243/4"	9.75
15832	2 1 "x234"	26"	11.50
15833	2 % "x23/4"	28"	18.08

Angl-Head Style

15632	36"× 74"	734"	\$1.00
15633	3/4"× 1/4"	834"	1.10
15634	%"= 11"	934"	1.30
15635	34"± 11"	1134"	1.50
15636	76"≖ H"	1234"	1.70
15637	1" 2111"	1436"	2.00
15638	136"×134"	17"	3.85
15639	14"x144"	1734"	4.85

Half and Half Style

Combination open-end and box-type in one wrench. A handy double duty wrench for quick adjustments and tune-up work. Each end has the same size opening offering a double attack on stubborn nuts.

15647	78 "	5"	\$1.15
15648	3/3"	51/4"	1.25
15649		53/4"	1,45
15650	56"	61/4"	1.60
15651	11"	7"	1.90
15652	94"	8"	2.30





No. 15620 Series





SEE DOUBLE-DUTY NUGGETS AND SETS—Pages 6 to 13

BLACKHAWK 🗻 WRENCHI

STUB END BOX-TYPES

Selected Alloy Steel—Cadmium Plated

Heavy duty box wrenches for truck, tractor, industrial and construction work. Excellent for rear axle nuts on trucks because straight-line pull gives greater leverage. Work in close quarters—do not spread—do not burr nuts. Fit where bolts proturde above nut. Selected steel — cadmium-plated — heat-treated.

Furnished in either straight or offset shanks. Shank locks into substantial handles for long leverage. All double hexagon openings.

Straight Type

No.	Opening	Use Handle No,	List Price	No.	Opening	Usa Handle No.	List Price
15680	18" 1	15741	\$2.70	15691	134"	15744	\$6,35
15681	1"	15741	2.70	15692	134"	15744	6.50
15682	1%"	15742	3.10	15693	126"	15744	8.00
15683	136"	15742	3.10	15694	2"	15744	8.00
15684	13/4"	15742	3.35	15695	2∱*	15744	9.50
15685	14."	15743	3.75	15696	21/4"	15745	10.00
15686	136"	15743	4.85	15697	236"	15745	11.25
15687	17."	15743	4.85	15698	2 78 "	15745	14.60
15688	15/3"	15743	5.85	15699	23/4"	15745	15.90
15689	14."	15743	5.85	15700	218"	15745	16.70
15690	156"	15743	6.10	15701	3%"	15745	17.50

Offset Type

15710	11"	15741	\$2.95	15721	13/4"	15744	\$7.60
15711	1"	15741	2.95	15722	137"	15744	8.00
15712	1 14 "	15742	3,50	15723	17/6"	15744	9.20
15713	136"	15742	3.50	15724	2"	15744	9.20
15714	154"	15742	3.75	15725	27	15744	10.50
15715	14."	15742	4.20	15726	23/4"	15745	11,25
15716	136"	15743	5.85	15727	236"	15745	12,50
15717	14"	15743	5.85	15728	24"	15745	15.90
15718	134"	15743	6.25	15729	23/4"	15745	17.10
15719	14"	15743	6.25	15730	211"	15745	18.00
15720	156"	15744	7.25	15731	356"	15745	18.75

Tubular Handles for Stub-Ends

No.	Handle Length	Assembled Length	Outside Dia.	Inside Dia.	List Price
15741	15"	23"	38"	56"	\$2.50
15742	18"	24"	3/4"	11."	2.65
15743	24"	35"	14"	34"	3.75
15744	30"	41"	134"	1"	5.40
15745	36"	523/5"	178"	156"	8.25

Half-Moon Box-Type

The wrench every mechanic needs—it sneaks around corners and in-between or in-betwixt most any place. Just the wrench for generator and starter mountings, manifolds or exhaust nuts and other tricky places.

15659	56"= 12"	734"	\$1.70
15660	12"=34"		2.25

ALL LIST PRICES SUBJECT TO DISCOUNT



Stub Ends — with long handles locked to shank — furnishes full leverage for heavy pull.



SEE DOUBLE-DUTY NUGGETS AND SETS—Pages 6 to 13

WRENCHES

No. 19056 Set

No. 19057 Set



No. 19058 Set



No. 19059 Set

SEE DOUBLE-DUTY NUGGETS AND SETS — Pages 6 to 13

Page Thirty-tevo

BOX-TYPE WRENCH SETS

Selected Alloy Steel—Chromium Plated

No. 19056 Set

This handy set of three short double offset wrenches fits right in the mechanic's pocket. A knockout for battery, tire valve and manifold nuts—starter, generator, water pump and other mountings.

Contents of Set

15512	36"×±"	Opening Opening	15614	16"x11"	Opening
12012	73 -17	Obettrug			

No.
19056 Set, Complete in Cardboard Box.....List Price \$3.05

No. 19057 Set

Here's a dandy set of six long double offset box-type wrenches that can't be beat for every tricky job that calls for a deep offset, short bites and plenty of leverage. Careful and accurate double hexagon broaches never round out—thin walls sneak into close quarters—and comfortable handles make the job easy.

Contents of Set

15622 34"x1x" Opening 15625 34"x1x" Opening 15623 34"x1x" Opening 15626 12"x1x" Opening 15624 44"x1x" Opening 15627 12"x 1" Opening

No. 19057 Set, Complete in Cardboard Box.....List Price \$8.60

No. 19058 Set

Angl-Head wrenches offer a unique design for tough jobs. These neat compact wrenches can be used in places with low overhead clearance. There is a straight line power pull on the nut—no twisting pull like offset types.

Contents of Set

15632 34"x4" 15633 34"x4" 15634 34"x4"	Opening Opening Opening	15635 15636 15637	1/4 × 11 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	Opening Opening
18	- haven's			-

No. 19058 Set, Complete in Cardboard Box.....List Price \$8.60

No. 19059 Set

A set of the handiest wrenches any mechanic can own. Combination of open-end and box-type in one wrench tackles many tricky jobs where other tools fail. Ideal for battery shops, tire dealers, filling stations, radio men, service men and mechanics.

Contents of Set

15647	4"	Opening Opening	15649 15650	17."	Opening Opening

No.
19059 Set, Complete in Cardboard Box....List Price \$5.45

No. 19074 Set

No. 19074 Set, Complete in Cardboard Box.....List Price \$9.65

LUBRICATION SERVICE TOOLS

The "ADJUSTO" No. 151

Adjustable to fit all drain plugs, square or hex, male or female. Used universally on all transmissions, differentials, shock absorbers, gasoline tanks and vacuum tank drain and filler plugs. Jaws adjustable by a twist of thumb on knurled sleeve-not on handle grip as with ordinary drain plug wrenches. Practical 9" length - selected steel - cadmium plated. Adjustable sockets and plugs to fit-hex male plugs, 7/16" to 11/2"; square male plugs, 3/16" to 11/4"; square female openings, 5/16" to 1".

.....List Price, \$4.35

The "MULTI-PLUG" No. 152

One-piece - handy and compact - fits practically all female plugs on every car. Length, 8"—forged of chrome nickel steel—heat treated for strength cadmium plated finish.

Has the following sized plugs—fe", ½2", ¾8", ie", ½3", ie", ½3", ie", ½5" square, and ie" hexagon.

.....List Price, \$2.30

SPECIALS—FOR FORD and CHEVROLET

Sockets and handles for connecting rods, oil pans, axle nuts, etc., are shown in regular listings if they are not exclusively Ford and Chevrolet "specials."

New Ford & Mercury Drain Plug Wrench

Fits 1939 Ford, Mercury and Zephyr, 2" hexagon opening. 18" square opening fits transmission drain and filler plugs in entire Ford group, 101/2" offset handle. No. 15798.

.....List Price, \$0.80

Ford Brake Adjusting Wrench

4016-For all models. Db'l sq. openings-18" & 1/2".\$1.90

Ford Main Bearing Wrench

4124—3/4" Hex—Models A, AA, B, AAB & 18\$1.00

Ford Oil Pan Wrench

4316—1/2"—All models except 60 and 85\$1.10

Ford Connecting Rod Socket

No. List Price 40199—18" opening—1/2" drive—All V-8's except 60 \$0.85

Chevrolet Oil Pan Socket

34992—Screw driver socket — 3/8" drive — Fits all Chevrolet oil pans\$1.25

ALL LIST PRICES SUBJECT TO DISCOUNT





Page Thirty-three

No. 34992 No. 40199



TIRE SERVICE TOOLS

Selected Steel—Cadmium Plated

For Service Stations, Garages and Car Owners

Cross-Type Rim Wrench with **Hub Cap Puller**

Here's a new universal cross type rim wrench that makes easy work of removing nuts on all tire changes. Extra deep socket construction takes all nuts, even with extended bolts.

Bell-shaped sockets sneak in where rim nuts are close to the hub wall.

One socket has built-in spring-backed hub cap puller that slides out easily when released by pressing button, (see illustra-tion). When not in use, plunger is pushed in and locked, permitting use of the socket.

Wrench is 141/2" over-all — plenty of length for leverage. Diameter of handle 5/8"-depth of sockets 15/8".

Socket sizes, 5/8", 3/4", 18" and 7/8" Hexagon.

No.

5204ZList Price, \$4.50



Here's how the hub cap puller on the 5204Z operates. Simply fit edge behind cap—and pull. Screw driver doesn't fit because of deeply recessed hub cap.



SEE DOUBLE-DUTY NUGGETS AND SETS-Pages 6 to 13

Standard Cross-Type Wrench



No. 5204X-The master of all rim nut jobs. Equipped with extra deep sockets to get both nuts on tire carriers. Will handle any rim nut job whether wood, disc, or wire wheels. Put one of these in the hands of a prospect and the sale is made. Special over-all length of 141/2" gives all the clearance needed. Diameter of handle 5/8" — Depth of sockets 15/8".

Socket Sizes 3/8" - 3/4" - 18" - 7/8" Hexagon

No. 5204XList price, \$4.00

Car Owner Rim Wrenches

A practical series of popularly priced rim wrenches. Ideal for car owners, service stations, car wreckers and replacements. Thin socket walls sneak in to reach lug nuts on all new style

No.	Socket Size	Stock Dia.	Shank Length	Sweep	List Price
5220	56"	35"	53/4"	43/6"	\$0.65
5222	11"	34"	53/4"	47/4"	.65
*5224	3/4"	34"	53/4"	436**	.55
*5226	11"	3/8"	53/4"	43/6"	.55
5228	3/4"	3%"	53/4"	436"	.65

*Non-replaceable.

BLACKHAWK WRENCHES

TIRE SERVICE TOOLS

Selected Steel—Cadmium Plated For Trucks and Buses

Universal Truck Rim Wrench

(Cross Type with 6 Socket Sizes)

A rim tool that will handle 90% of all truck rim nuts, including latest model Ford and Chevrolet Trucks. A powerful tool, 3/4" dia. shanks with an over-all length of 23". Equipped with hole through center for use of No. 5401 pry bar to provide added leverage.

Socket sizes— $\frac{7}{8}$ ", $1\frac{1}{16}$ ", $1\frac{1}{4}$ ", $1\frac{1}{2}$ " Hexagon, $\frac{5}{8}$ " and $\frac{1}{8}$ " Square.

Back of 1¾" hex socket is broached ¼" square for Model AA Ford and Budd-Michelin Rims. Back of ¾" Hex socket is ¾" square for 1931-32 Chevrolet Truck rims.

No. 5206 Without No. 5401 Pry Bar....List Price, \$9.00 5401 Pry BarList Price, 1.40



Truck and Bus Rim Wrenches

Changes in tire sizes and wheel designs created need for extra-long rim wrench. This series is now 2" longer to handle modern vehicles,

No. 5448—For Ford AA Trucks, Budd-Michelin Wheels, Budd Duals, Dayton Spokesteel Wheels, change-overs, and deep dual discs.


No. 5440—Has 1/8" hex opening for 1933-34 Trucks, also 1931 and 1932 Chevrolet Trucks. Has square openings for rear wheel rim studs, and two hex openings for front and rear wheel rim nuts.

No. 5434—For all other truck and bus rim nuts and trailers with pneumatics.

No. 5401—Used as pry bar and to provide leverage to break loose those frozen nuts.

No.	Socket Sizes	Stock Dia.	Length	List Price
†5448 †5440 †5434 5401	ja" Sq., 1½" & 1½" Hex %" Sq., ½" & 1½" Hex 1½" & 1½" Hex Pry Bar only	%" %" %"	16½" 16½" 16½" 20"	\$3.00 2.60 2.60 1.40

†Does not include No. 5401 Pry Bar.



Sockets of 5204X, 5204Z and 5206 are bell-shaped with extra deep broach as shown. Plenty of room to take long bolts on tire carriers, etc.



For convenience, sockets on 5440, 5448 and 5206 are double broached as a hown, Square opening inside of hex eliminates extra tool.

SEE DOUBLE-DUTY NUGGETS AND SETS — Pages 6 to 13



Actual size of No. 4729 Hexite Open-End. Dotted line shows size of old-style wrench also having %" and 34" openings.

ENTIRELY NEW DESIGN

At last - a series of Open-Ends designed especially for automotive work! Mechanics no longer need use "Engineers Wrenches" adapted to machine bolt and nut sizes. No improper size combinations and excess weight to retard work and increase tool investment. Following are the 13 new Blackhawk-designed Open-Ends-made under the famous Blackhawk-Armstrong trade name:

No.	Milled Openings	Overall Length	Head Thickness	List Price
4020	1/4"— 18"	41/4"	54"	\$0.55
4721	18"- 3/8"	43/4"	11"	.60
4723	3/8"— 18"	51/4"	32"	.70
4725	1 4"- 1/3"	57/8"	15"	.90
4725B	1/2" \$\frac{2}{3}" \	61/2"	1/4"	1.00
4727	5/0"	71/4"	1 17"	1.10
4729	3/8"— 3/4"	8"	11"	1.35
4028	12" 25"	8"	12"	1.35
4730A	11" 13"	83/4"	16"	1.65
4731A	3/4"— 7/8"	91/2"	,å.,"	1.75
4033C	1 12"—1"	101/2"	21"	2.40
4735A	118"-11/8"	111/2"	1 23"	2.85
4737	11/8"-11/4"	121/2"	3/8"	3.30

(See complete series illustrated on opposite page)

LESS WEIGHT AND BULK! **GREATER LEVERAGE!** LONGER LIFE!

New Blackhawk-Armstrong Open - Ends are made of HEXITE (strongest tool steel known)—hence their thinner heads; pear-shaped jaws; comfortable, thin handles; lighter weight, better balance and longer wearing qualities. Perfect companions to Nugget socket wrenches, also made of Hexite.

BEAUTIFULLY FINISHED

New HEXITE Open-Ends sparkle with rich brilliance. Flawless heads are buffed

and polished - handles are satin finish. (Ordinary wrenches are usually not plated because high finish emphasizes flaws and defects.) Each wrench is scientifically heat treated. Openings are accurately milled and, because of harder steel, will not round out as easily as ordinary open-ends.

ALL LIST PRICES SUBJECT TO DISCOUNT

5/8 Actual size -%" end, No. 4729. Full leverage on square and hexagon nuts. Pear shaped jaws do HEXITE not extend be-

yond the nuteliminating all

interference.

Page Thirty-six

No. 4729. Hex-te Open - Ends ave thinnest heads on the

market.

section of No. 1729 (above).

Comfortable,

curved grip.

Freeve reduces weight,

MADE OF HEXITE-*ME Magic Steel* SLIMMER — THINNER — TOUGHER



BLACKHAWK-ARMSTRONG

Page Thirty-seven

BLACKHAWK 🗻 AKMSTRONG

OPEN-END WRENCHES

Selected Steel — Chromium Plated

Economy Series Tappet Wrenches

A fine series of reasonably priced tappets, welcomed by every mechanic. Long and thin—they slip in easily where clearance is small. Forged of the best alloy steel—and chromium plated. Openings at 15° angle.

No.	Milled Openings	Length	Thickness of Head	List Price
420	1 40"-13"	8"	n n	\$0.75
422	35"-15"	8"	8"	.75
424	46"-{{}" }	834"	1 1	.80
426	1 3/4"-1/4"	9"	13 "	1.00

Economy Tappet Set

Contains two each Nos. 422, 424, 426

No.			
22CB—In	Cardboard Box.	List Price	\$5.10
22LR—In	Leatherette Ro	l. List Price	5.80

Regular Series Tappet Wrenches

Two styles provided: Same size opening on both ends, or different size openings on same wrench. Balanced design makes it easy to use three at once while adjusting tappets—two worked as scissors in one hand, and a third in the other. One end offset at 22½° angle—other straight.

402 403 404 405	34.7	8½" 8½" 8½"	↑ • • • • • • • • • • • • • • • • • •	\$0.75 .75 .80 .80
402B 402C 404B 404C 406B 406C	Angle End	8 ½ " 8 ½ " 8 ½ " 8 ½ " 9 "	**************************************	.75 .75 .80 .80 .85

Special Long Tappet Wrenches

Many new model cars require these long tappet wrenches. 100A and 100B have single end opening. 200AB has double end opening.

100A 100B 200AB %"-+;"	15" 15"	*** ***	\$2.00 2.00 2.60
------------------------------	------------	------------	------------------------

Tappet Wrench Sets

Nos. 412CB and 412LR

Contain two each Nos. 402, 403, 404 and 405. These wrenches have same sized opening on each end.

No.			
412CB—In	Cardboard Box.	List Price	\$6.20
		l. List Price	

Nos. 400CB and 400LR

Smaller set than above, but with more sizes. Wrenches have different sized openings on each end.

Contain one each Nos. 402B, 402C, 404B, 404C, 406B, 406C,

No.				
400CB-In	Cardboard Box.	List	Price\$	4.80
400LR-In	Leatherette Rol	l. Lis	t Price	5.50

Brake Wrench

For Eccentric Cam or Bendix Internal

No.	Opening	Length	Thickness	Price
2561	- 1 to 3/4"	9"	7."	\$1.80


ALL LIST PRICES SUBJECT TO DISCOUNT



Economy Series Tappets



No. 22LR Set







SEE NEW AUTOMOTIVE OPEN-ENDS—Pages 36 and 37



Engineer's Wrenches

(For illustrations of NEW Automotive Open-Ends—See pages 36 and 37.)



No. 26LR Set



No. 20LR Set



No. 18LR Set

SEE NEW AUTOMOTIVE OPEN-ENDS—Pages 36 and 37

Page Thirty-eight

ARMSTRONG

OPEN-END WRENCHES

Selected Steel — Chromium Plated

Engineer's Wrenches

Handy wherever there's a tough nut to turn on cars—trucks—tractors—farm implements—or industrial equipment. (See pages 36 and 37 for New Automotive Open-Ends.)

No.	Openings_	Extreme Length	Thickness Heads	List Price
1020 1721 1021 1721 1021 1722 1723 1022 1023 1725 1725 1725 1725 1725 1726 1027 1027 1027 1027 1027 1027 1028 1028 1028 1029 1030 1731 1731 1731 1731 1731 1731 1731	Dem — — — — — — — — — — — — — — — — — — —	3.7/2	######################################	\$0.50 .55 .55 .55 .55 .79 .70 .80 .80 .80 .80 .1.00 1.00 1.00 1.00 1

Engineer's Wrench Sets

Contains one each Nos. 1723, 1025, 1027C, 1028S, 1731A and 1033C.

No. 26CB—In Cardboard Box List Price \$7.35

No. 26LR—In Leatherette Roll List Price 8.20

(See New Open-End Sets—pages 36 and 37.)

Miniature Wrenches and Sets

These Miniature Wrenches take the fight out of the stubborn baby nuts. Ideal for every small delicate job.

No.	Milled Opening	Length	Thickness of Head	List Price
H-10 H-12	· · · · · · · · · · · · · · · · · · ·	21/2"	\$	\$0.55 .55
H-14	一 第5 卷 Hr	33/4"	₹.	,60
H-16	1 11 2 1 1	432	***	.60

No. 20CB—One each of above. In Cardboard Box....List Price \$2.90 20LR—One each of above. In Leatherette Roll..List Price 3.30

Ignition Wrenches and Sets

These tools meet with the approval of Ignition experts. All tools shown are neatly contained in the two-tone gray-green leatherette case.

No.	Size Opening	Price
E-2	1/4" & 1/4"	\$0.55
E-3	34" (11"差益")	.55
E-4	18"	.55
E-5	18"	.55
E-6	1 "	.55 .55 .85
E-2 B-3 E-4 E-5 E-6 E-7 E-9	J." (1/4")	.70
E-8	34" € 34"	.70
E.O	12"	.70 .70
E-10	36" Å 11"	.70
E-11	%"是装"	1.10

No.
18CB—One each of above. In Cardboard Box....List Price \$6.95
18LR—One each of above. In Leatherette Roll, List Price 7.65

ALL LIST PRICES SUBJECT TO DISCOUNT



No. 15119 CROSS TYPE

Every mechanic, tire dealer, service station and filling station needs this speedy four-in-one Rim Wrench. Extra deep sockets—bell shaped tackle any nut whether on the wheel or tire carrier. They sneak in on tricky jobs—inside the hub—and take the fight out of the toughest nut.

Designed for general car use—overall length 13½". Socket openings—5/8", ½", ¾" and 7/8" Hex.

No. 15119 List price \$1.75

TRUCK AND BUS

You can't beat these sturdy rim wrenches on any job requiring a tough pull and plenty strength. A handle bar provides extra leverage to break loose frozen nuts. Ideal for trucks, trailers and buses. Price below does not include 15140 handle bar.

No. 15137—For general truck, bus and trailer rim nuts.

No. 15138—For Chevrolet trucks. Has square openings for rear wheel rim studs and Hex for front and rear rim nuts. Length-161/2". Openings—5/8" sq., 7/8" and 11/4".

List price\$2.30

No. 15139-For Ford AA trucks-Budd-Michelin, Budd Duals, Dayton, Spoke-steel, changeovers and deep dual discs. Length-

No. 15140—Handle Bar for above wrenches. 18" long, 3/4" stock diameter.

List price\$0.60

BLACKHAWK MFG. CO. MILWAUKEE, WISCONSIN U.S.A. Wrench Specialists